



Vision • Commitment • Pride

FOREST STEWARDSHIP MANAGEMENT PLAN

Prepared For:
Choctaw BOE

Prepared By:
Bubba Pope
MS Forestry Commission

Time Period Covered by This Plan:
2012 - 2021

Date Plan Prepared:
2012-02-16

Plan Type:
Stewardship / Stewardship

This plan was developed in accordance with the rules of the Stewardship program.

Property Name: Panhandle S16-15N-10E

MISSISSIPPI FOREST STEWARDSHIP PROGRAM

TABLE OF CONTENTS

LANDOWNER INFORMATION	3
FORESTER INFORMATION	3
DISCLAIMER	3
INTRODUCTION	3
OBJECTIVES	4
PROPERTY DESCRIPTION	4
Archeological or Cultural Resources	5
GENERAL PROPERTY RECOMMENDATIONS	5
SOIL TYPES	6
STRATA	9
OTHER PLAN ACTIVITIES	12
PLAN MAP	13
PLAN MAP	14
PLAN MAP	15
STRATA ACTIVITY SCHEDULE	16

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

LANDOWNER INFORMATION

Name: Choctaw BOE
Mailing Address: PO Box 398
City, State, Zip: Ackerman, MS 39735
Country: United States of America
Contact Numbers: Home Number:
Office Number: 662-285-6239
Fax Number:

E-mail Address:
Social Security Number (optional):

FORESTER INFORMATION

Name: Bubba Pope , Service Forester
Forester Number: 01004
Organization: MS Forestry Commission
Street Address: PO Box 295
City, State, Zip: Ackerman, MS 39735
Contact Numbers: Office Number: 662-285-6728
Fax Number:

E-mail Address: spope@mfc.state.ms.us

PROPERTY LOCATION

County: Choctaw Total Acres: 654 Latitude: -89.27 Longitude: 33.16
Section: 16 Township: 15N Range: 10E

DISCLAIMER

Some forest practices may cause temporary adverse environmental or aesthetic impacts. These practices will only cause short-term adverse impacts where they are installed. Special efforts will be made to minimize adverse effects when carrying out any of the practices. Examples include: site preparation, planting, prescribed fires, firebreak installation and maintenance, road installation and maintenance, pesticide applications and timber harvesting.

This information was derived from a small sampling of the forest resources. It reflects a statistical estimation that is only intended to be accurate enough for the purposes of making decisions for the short-term management of these resources. These estimations are temporally static. Events and circumstances may occur within the survey area that will physically alter the forest resources and therefore will not be reflected in the plan.

INTRODUCTION

This Forest Stewardship Management Plan will serve as a guide for accomplishing the goals and objectives for your property. In addition to addressing your specific goals and objectives, this plan includes recommendations for maintaining soil and water quality and

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

protecting your forest from insects, disease, and wildfire. Recommendations are based on observation and assessment of the site.

OBJECTIVES

Fire Protection

The goal is to protect the resource from wildfires, by establishing and maintaining firebreaks around the property; annually inspect possible signs of insect infestations and disease; and prohibit grazing until terminal bud is beyond reach of livestock.

Timber Production

The goal is to produce high quality sawtimber. This will be accomplished through reforestation and timber stand improvement practices such as herbicide applications, prescribed burning, thinning at specified intervals, and other silvicultural practices. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

PROPERTY DESCRIPTION

General Property Information

This section is known as the "Panhandle" section and is located on Panhandle Rd.. The majority of the section is loblolly pine. Panhandle has approximately 628 forested acres of various sized timber. This section has 17 non-forested acres. There are no management activities being recommended during this plan for the non-forested acres.

Water Resources

One significant creek was identified during a reconnaissance of the property. Intermittent streams and drains were also identified and will be managed in accordance with Mississippi's Best Manage Practices.

Timber Production

The goal is to maximize the production of high quality timber. This will be accomplished through the application of timely thinning and other silvicultural practices designed to enhance timber quality and growth. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

Threatened and Endangered Species

No threatened and endangered species were identified during the reconnaissance and evaluation of your property.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Interaction with Surrounding Property

Prescribed practices should be carried out in a manner that will minimize adverse impacts on surrounding properties. Consideration should be given to potential air, water, visual, and other impacts. In addition, practices carried out should have positive effects on the surrounding community such as improved wildlife habitat and soil stabilization.

Soils General

Soils were evaluated on the property to determine the suitability of the site for the proposed activities. Forest practices were planned so as to minimize erosion or other adverse effects on the soil. The following soils are identified for this property:

Archeological or Cultural Resources

Archeological or Cultural Resources

These areas can range from churches, old cemeteries or Indian mounds to old home sites or other areas of historical significance.

This area has an old Pioneer House located on the East side of the Weir-Panhandle Road. This site has been buffered around the site. No forest management activities will occur inside of this protected area.

GENERAL PROPERTY RECOMMENDATIONS

Forest Protection

A health vigorously growing stand is the best defense to an attack from a variety of forest insects, plants and pathogens.

Insects and Diseases

Trees are subject to attack from insects and diseases. Different insects and diseases affect trees according to the age, species, and condition of the trees. Planted stands of pines and pure stands of hardwoods are particularly susceptible to attack. Since there are many different insects and diseases, no attempt will be made here to explain all of them. The property should be inspected at least annually for possible signs of insect and disease activity. Some things to look for are:

- Unseasonable leaf fall
- Discoloration of leaves or needles
- Pitch pockets on pine trees
- Heavy defoliation of hardwood leaves
- Groups of three or more dying trees within a stand

This list does not cover all instances of insect or disease attacks. If anything unusual is noticed, report it to a forester. In most cases, insect and disease problems can be controlled if discovered early.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Fire Protection

Your forest should be protected from wildfire at all times. The best way to protect your investment is by establishing and maintaining firebreaks around the property. Guidelines for establishment and maintenance of firebreaks may be found in Mississippi Forestry Commission publication #107, *Mississippi's Best Management Practices*

Grazing

Tree seedlings should be protected from grazing until such time as the terminal bud of the sapling is beyond reach of livestock. Domestic livestock should be denied access to the tree planting area.

Boundary Lines

Boundary lines will be maintained by the Mississippi Forestry Commission on a 4 year rotation. All lines will be marked in red or orange paint.

SOIL TYPES

Rs

The Rosebloom component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on flood plains. The parent material consists of silty alluvium deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is frequently flooded. It is not ponded. A seasonal zone of water saturation is at 6 inches during January, February, March. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 5w. This soil meets hydric criteria.

Bu

The Bude component makes up 95 percent of the map unit. Slopes are 0 to 2 percent. This component is on uplands. The parent material consists of loess deposits. Depth to a root restrictive layer, fragipan, is 18 to 40 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 11 inches during January, February, March, April. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 2w. This soil does not meet hydric criteria. Loblolly Site Index = 90.

W

Generated brief soil descriptions are created for major soil components. The Water area is a miscellaneous area.

PoC2

The Providence component makes up 90 percent of the map unit. Slopes are 5 to 8 percent. This component is on uplands. The parent material consists of silty loess over sandy marine deposits. Depth to a root restrictive layer, fragipan, is 18 to 38 inches. The natural

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 18 inches during January, February, March. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3e. This soil does not meet hydric criteria. Loblolly Site Index = 87. Longleaf Site Index = 73.

SwC

The Sweatman component makes up 90 percent of the map unit. Slopes are 5 to 8 percent. This component is on uplands. The parent material consists of loamy marine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria. Loblolly Site Index = 83.

Ro

The Rosebloom component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on flood plains. The parent material consists of silty alluvium deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is occasionally flooded. It is not ponded. A seasonal zone of water saturation is at 6 inches during January, February, March. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3w. This soil meets hydric criteria.

OrD2

The Ora component makes up 90 percent of the map unit. Slopes are 8 to 12 percent. This component is on uplands. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer, fragipan, is 18 to 42 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 30 inches during February, March, April. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria. Loblolly Site Index = 83.

Oa

The Oaklimeter component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on flood plains. The parent material consists of silty alluvium deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is very high. Shrink-swell potential is low. This soil is occasionally flooded. It is not ponded. A seasonal zone of water saturation is at 24 inches during January, February, March, November, December. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 2w. This soil does not meet hydric criteria. Loblolly Site Index = 90.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

TaC2

The Tippah component makes up 90 percent of the map unit. Slopes are 5 to 8 percent. This component is on uplands. The parent material consists of loess deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is high. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 26 inches during January, February, March, April, December. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 3e. This soil does not meet hydric criteria. Loblolly Site Index = 78.

SwE

The Sweatman component makes up 90 percent of the map unit. Slopes are 8 to 15 percent. This component is on uplands. The parent material consists of loamy marine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 6e. This soil does not meet hydric criteria. Loblolly Site Index = 83.

TaB2

The Tippah component makes up 90 percent of the map unit. Slopes are 2 to 5 percent. This component is on uplands. The parent material consists of loess deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is high. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 26 inches during January, February, March, April, December. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. Loblolly Site Index = 78.

SS

The Smithdale component makes up 54 percent of the map unit. Slopes are 8 to 35 percent. This component is on hillslopes. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 7e. This soil does not meet hydric criteria. The Sweatman component makes up 38 percent of the map unit. Slopes are 8 to 35 percent. This component is on uplands. The parent material consists of loamy marine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 7e. This soil does not meet hydric criteria.

STRATA

Strata 1

Strata Description

Strata 1 - 63 Acres

Contains stand 2.

This 63 acres was hand planted with loblolly pines in 1984. It has been thinned twice. The topography of this area is gently rolling hills.

Strata Recommendations

Recommended the area be looked at for possible final harvest in 2016.

Activity Recommendations

Harvest

If prices are suitable, it is recommended that the area have a final harvest in the year 2016.

Strata 3

Strata Description

Strata 3 - 83 Acres

Contains stand 13.

This area is 83 acres of old growth hardwood sawtimber that is being left to protect Wild Cat Creek.

Strata Recommendations

No activities for this area for the next 10 years.

Strata 4

Strata Description

Strata 4 - 325 Acres

Contains stands 17 and 20.

This is a natural old growth stand consisting of a mixture of loblolly and shortleaf pines. The area has been thinned as well as burned under to produce a large sawtimber stand.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Strata Recommendations

Stand 20 should have a final harvest in the year 2017 if prices are suitable.

Activity Recommendations

Harvest

If prices are suitable, it is recommended that the area have a final harvest in the year 2014.

Regeneration

This area should be hand planted in genetically improved loblolly pine seedlings at a rate of 691 TPA. Survival should be greater than or equal to 400 TPA after the first summer.

Site Preparation

This area should be site-prep aerial sprayed in the fall of 2018. The purpose of the ariel spray will be to control hardwood competition so that the planted pine seedlings can survive and grow.

Strata 5

Strata Description

Strata 5 - 20 Acres

Contains stands 14 and 16.

This area consist of 20 acres that was machine planted in 1986 with North Mississippi loblolly pine seedlings.

Strata Recommendations

The area will be looked at around 2013 for possible need of second thinning.

Activity Recommendations

Harvest

The area will have it s second thinning if prices are suitable in the year 2013.

Strata 20

Strata Description

Strata 20 - 8 Acres

Contains stand 19.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

This area is 8 acres that was machine planted with North Mississippi loblolly pine seedlings in the year 1983.

Strata Recommendations

If prices are suitable, it is recommended that the area have a final harvest in the year 2017.

Activity Recommendations

Harvest

The area should be looked at to be clear cut in the year 2017.

Regeneration

This area should be hand planted in genetically improved loblolly pine seedlings at a rate of 691 TPA. Survival should be greater than or equal to 400 TPA after the first summer.

Site Preparation

This area should be site-prep aerial sprayed in the fall of 2018. The purpose of the ariel spray will be to control hardwood competition so that the planted pine seedlings can survive and grow.

Strata 25

Strata Description

Strata 25 - 138 Acres

Contains stand 8.

This area was hand planted in the year 2008 with North Mississippi loblolly pine seedlings.

Strata Recommendations

No activities for this strata at this time.

OTHER PLAN ACTIVITIES

Boundary Lines

Line Description

The boundary lines are painted every 4 years in either red or orange boundary paint to make sure the property lines are clearly visible.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Line Recommendations

Maintain paint on lines so that they stay visible.

Activity Recommendations

Property Activities

Routine inspections and general maintenance of the roads, Firelanes, and boundary lines will ensure overall appearance and aesthetics of the property.

Fire Control

Line Description

These lines are used for easy access and maintained for easy fire control.

Line Recommendations

Lines should be pushed and maintained every 4 years.

Activity Recommendations

Fire Protection

Due to well kept fire lanes, accessible roads, and good communication with the community makes for easier fire protection.


Panhandle

Panhandle

S16-15N-10E
2012 to 2021
653



(11/30/2011)




Panhandle

Panhandle

S16-15N-10E
2012 to 2021
653



(11/30/2011)





Panhandle

Property

Property

Category 1: Stands

- Clear Cut
- Non-Stocked
- Reproduction
- Sub-Merchantable
- Pulpwood
- Chip-n-Saw
- Sawtimber
- Poles

Category 2: Stands

- Clear Cut
- Non-Stocked
- Reproduction
- Sub-Merchantable
- Pulpwood
- Chip-n-Saw
- Sawtimber
- Poles

Category 3: Non-Forest Stands

Non-Forest

Category 4: Not in Plan Stands

Not in Plan

Category 5: Features Only Plan Stand

Features Only Plan

Restricted Sites

- Archeology
- Cemetery
- Red-Cockaded Woodpecker
- Gopher Tortoise
- Picture Bogg Plant

Forest Health (Points)

- Cogan Grass
- Kudzu
- Japanese Climbing Fern
- Chinese Tallow
- Privet
- Southern Pine Beetle
- Sirex Wasp
- IPPS

Hydrology (Points)

- Concrete Dam
- Beaver Dam
- Earthen Dam
- Permanent
- Temporary
- Wooden
- Other
- Culvert
- Pond

Wildlife (Points)

- Food Plot
- Water Hole
- Feeder

Boundary Corners

- Property
- Section
- Quarter Section
- Areas

Structures

- Barn
- Tractor Shed
- Out Building
- Single-Family
- Multi-Family
- Camp House
- Club House
- Office Building
- Manufacturing
- Warehouse
- Chicken House
- Horse Stall
- Milking Parlor
- Hog Pen
- Blind
- Stand
- Hospital
- Nursing Home
- Dr. Clinic
- State Facility
- Office
- Work Center
- Materials Depot
- Prison
- School
- Church
- Mosque
- Synagogue
- Other

Cruise Plots

- Pre-Cruise
- Post-Cruise

Other

- Towers
- Logging Deck
- Locked
- Water
- Oil
- Natural Gas

Property Roads/Trails

- Drive Ways
- Access Road
- Logging Road
- Skid Trail
- Farm Road
- Hiking Trail
- Horseback Riding Trail

Boundary Lines

- Archeology
- Cemetery
- Drilling Sites
- Education

Boundary Lines (cont)

- Forest Health
- Invasive Species
- Management Compartment
- Military Area
- Natural Area
- Property
- Recreation
- Rights of Way
- SMZ
- Special Use
- Stand
- Surface Mining
- Threatened/Endangered Species
- Visual Buffer

Fire Control

- Temporary Line
- Permanent Fire Break

Wildlife (Lines)

- Green Strip

Fire

- Mitigation Burn
- Silviculture Burn
- Site-Prep Burn
- Wildfire

School Land Lease

- Hunting
- Minerals
- Recreation

Restricted Area

- SMZ
- Archeology
- Cemetery
- Visual Buffer
- Special Use
- Natural Area
- Education
- Recreation
- Military Area
- Large Utility
- Red-Cockaded Woodpecker
- Gopher Tortoise
- Picture Bogg Plant
- Coal
- Gravel
- Dirt
- Water
- Oil
- Natural Gas

Forest Health (Polygons)

- Cogan Grass
- Kudzu
- Japanese Climbing Fern
- Chinese Tallow
- Privet
- Southern Pine Beetle
- Sirex Wasp
- IPPS

School Land Classification

- Forest Land
- Farm/Residential Land
- Residential Land
- Agricultural Land
- Industrial Land
- Recreational Land
- Catfish Farming Land
- Other Land
- Commercial Land

Management Compartment

- Management
- Regeneration
- Site Preparation
- Post Plant
- Site Improvement
- Vegetation Control
- Stand Improvement
- Invasive Species Control
- Harvest
- Fire Protection
- Technical
- Wildlife Management
- Property Activities
- Roads
- SMZ
- Forest Health
- Recreation
- Site Restoration

Transportation (Lines)

- City Streets
- County Roads
- 3 Digit Highway
- Interstate Highway
- US Highway
- State Highway
- Natchez Trace Parkway
- Runways/Airports
- Active RR
- Abandoned RR

Hydrology (Lines)

- Mississippi River
- Major River
- Primary Stream
- Intermittent Stream
- Canal
- Ditch
- Earthen Dam
- Concrete Dam

Utilities (Lines)

- Large Electrical
- Local Utility
- Large Pipeline
- Small Pipeline
- Gas Line
- Utility Line
- Water Line

Activities by Client and FY Report

Filters Applied: County: Choctaw
 Client Class:
 District:
 Client: Choctaw BOE
 STR: 16 15N 10E
 Year: 2012 Through 2021

Client Name	Year	Activity Name	Practice	STR	Est. Acres	Est. Cost	Est. Revenue
Choctaw BOE							
2012							
Harvest							
Final							
				16 15N 10E	253	\$6,325.00	\$419,980.00
				Totals	253	\$6,325.00	\$419,980.00
				Summary for 'Act_Name' = Harvest			
				Totals	253	\$6,325.00	\$419,980.00
				Summary for 'PlanYear' = 2012			
				Totals	253	\$6,325.00	\$419,980.00
2013							
Harvest							
2nd Thin							
				16 15N 10E	5	\$175.00	\$1,625.00
					14.84	\$519.40	\$4,823.00
				Totals	19.84	\$694.40	\$6,448.00
				Summary for 'Act_Name' = Harvest			
				Totals	19.84	\$694.40	\$6,448.00
Regeneration							
Plant							
				16 15N 10E	253	\$25,300.00	\$0.00
				Totals	253	\$25,300.00	\$0.00

Client Name	Year	Activity Name	Practice	STR	Est. Acres	Est. Cost	Est. Revenue
				Totals	Summary for 'Act_Name' = Regeneration 253	\$25,300.00	\$0.00
		Site Preparation					
			Broadcast				
				16 15N 10E	253	\$25,300.00	\$0.00
				Totals	253	\$25,300.00	\$0.00
				Totals	Summary for 'Act_Name' = Site Preparation 253	\$25,300.00	\$0.00
				Totals	Summary for 'PlanYear' = 2013 525.84	\$51,294.40	\$6,448.00
	2016						
		Harvest					
			Final				
				16 15N 10E	63	\$2,205.00	\$77,490.00
				Totals	63	\$2,205.00	\$77,490.00
				Totals	Summary for 'Act_Name' = Harvest 63	\$2,205.00	\$77,490.00
				Totals	Summary for 'PlanYear' = 2016 63	\$2,205.00	\$77,490.00
	2017						
		Harvest					
			Final				
				16 15N 10E	72	\$2,520.00	\$119,520.00
					8	\$280.00	\$13,280.00
				Totals	80	\$2,800.00	\$132,800.00
				Totals	Summary for 'Act_Name' = Harvest 80	\$2,800.00	\$132,800.00
				Totals	Summary for 'PlanYear' = 2017 80	\$2,800.00	\$132,800.00

Client Name	Year	Activity Name	Practice	STR	Est. Acres	Est. Cost	Est. Revenue
	2018	Regeneration					
		Plant					
				16 15N 10E	8	\$800.00	\$0.00
					72	\$7,200.00	\$0.00
				Totals	80	\$8,000.00	\$0.00
				Totals	80	\$8,000.00	\$0.00
				Summary for 'Act_Name' = Regeneration			
				Totals	80	\$8,000.00	\$0.00
		Site Preparation					
		Broadcast					
				16 15N 10E	72	\$7,200.00	\$0.00
					8	\$800.00	\$0.00
				Totals	80	\$8,000.00	\$0.00
				Totals	80	\$8,000.00	\$0.00
				Summary for 'Act_Name' = Site Preparation			
				Totals	80	\$8,000.00	\$0.00
				Summary for 'PlanYear' = 2018			
				Totals	160	\$16,000.00	\$0.00
				Summary for 'ClientName' = Choctaw BOE			
				Totals	1081.84	\$78,624.40	\$636,718.00
Grand Totals					1081.84	\$78,624.40	\$636,718.00