



Vision • Commitment • Pride

FOREST STEWARDSHIP MANAGEMENT PLAN

Prepared For:
Choctaw BOE

Prepared By:
Bubba Pope
MS Forestry Commission

Time Period Covered by This Plan:
2012 - 2021

Date Plan Prepared:
2012-02-16

Plan Type:
Stewardship / Stewardship

This plan was developed in accordance with the rules of the Stewardship program.

Property Name: Weir S16-16N-10E

MISSISSIPPI FOREST STEWARDSHIP PROGRAM

TABLE OF CONTENTS

LANDOWNER INFORMATION	3
FORESTER INFORMATION	3
DISCLAIMER	3
INTRODUCTION	3
OBJECTIVES	4
PROPERTY DESCRIPTION	4
Archeological or Cultural Resources	5
GENERAL PROPERTY RECOMMENDATIONS	5
SOIL TYPES	6
STRATA	7
OTHER PLAN ACTIVITIES	13
PLAN MAP	15
PLAN MAP	16
PLAN MAP	17
STRATA ACTIVITY SCHEDULE	18

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

LANDOWNER INFORMATION

Name: Choctaw BOE
Mailing Address: PO Box 398
City, State, Zip: Ackerman, MS 39735
Country: United States of America
Contact Numbers: Home Number:
Office Number: 662-285-6239
Fax Number:

E-mail Address:
Social Security Number (optional):

FORESTER INFORMATION

Name: Bubba Pope , Service Forester
Forester Number: 01004
Organization: MS Forestry Commission
Street Address: PO Box 295
City, State, Zip: Ackerman, MS 39735
Contact Numbers: Office Number: 662-285-6728
Fax Number:

E-mail Address: spope@mfc.state.ms.us

PROPERTY LOCATION

County: Choctaw Total Acres: 647 Latitude: -89.27 Longitude: 33.25
Section: 16 Township: 16N Range: 10E

DISCLAIMER

Some forest practices may cause temporary adverse environmental or aesthetic impacts. These practices will only cause short-term adverse impacts where they are installed. Special efforts will be made to minimize adverse effects when carrying out any of the practices. Examples include: site preparation, planting, prescribed fires, firebreak installation and maintenance, road installation and maintenance, pesticide applications and timber harvesting.

This information was derived from a small sampling of the forest resources. It reflects a statistical estimation that is only intended to be accurate enough for the purposes of making decisions for the short-term management of these resources. These estimations are temporally static. Events and circumstances may occur within the survey area that will physically alter the forest resources and therefore will not be reflected in the plan.

INTRODUCTION

This Forest Stewardship Management Plan will serve as a guide for accomplishing the goals and objectives for your property. In addition to addressing your specific goals and objectives, this plan includes recommendations for maintaining soil and water quality and

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

protecting your forest from insects, disease, and wildfire. Recommendations are based on observation and assessment of the site.

OBJECTIVES

Fire Protection

The goal is to protect the resource from wildfires, by establishing and maintaining firebreaks around the property; annually inspect possible signs of insect infestations and disease; and prohibit grazing until terminal bud is beyond reach of livestock.

Timber Production

The goal is to produce high quality sawtimber. This will be accomplished through reforestation and timber stand improvement practices such as herbicide applications, prescribed burning, thinning at specified intervals, and other silvicultural practices. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

PROPERTY DESCRIPTION

General Property Information

This section is known as the "Weir" section and is located on Weir-Highpoint Rd. The majority of the section is loblolly pine. Weir has approximately 606 forested acres of various sized timber. This section has 50 non-forested acres. There are no management activities being recommended during this plan for the non-forested acres.

Water Resources

No perennial water resources were identified during a reconnaissance of the property. However, intermittent streams and drains identified will be managed in accordance with Mississippi's Best Management Practices.

Timber Production

The goal is to maximize the production of high quality timber. This will be accomplished through the application of timely thinning and other silvicultural practices designed to enhance timber quality and growth. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

Threatened and Endangered Species

No threatened and endangered species were identified during the reconnaissance and evaluation of your property.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Interaction with Surrounding Property

Prescribed practices should be carried out in a manner that will minimize adverse impacts on surrounding properties. Consideration should be given to potential air, water, visual, and other impacts. In addition, practices carried out should have positive effects on the surrounding community such as improved wildlife habitat and soil stabilization.

Soils General

Soils were evaluated on the property to determine the suitability of the site for the proposed activities. Forest practices were planned so as to minimize erosion or other adverse effects on the soil. The following soils are identified for this property:

Archeological or Cultural Resources

Archeological or Cultural Resources

These areas can range from churches, old cemeteries or Indian mounds to old home sites or other areas of historical significance.

No Archeological or Cultural resources were identified during a reconnaissance of the property. However, if Archeological or Cultural resources are discovered anytime on the property special managements measures will be applied immediately in order preserve these sensitive areas.

GENERAL PROPERTY RECOMMENDATIONS

Forest Protection

A health vigorously growing stand is the best defense to an attack form a variety of forest insects, plants and pathogens.

Insects and Diseases

Trees are subject to attack from insects and diseases. Different insects and diseases affect trees according to the age, species, and condition of the trees. Planted stands of pines and pure stands of hardwoods are particularly susceptible to attack. Since there are many different insects and diseases, no attempt will be made here to explain all of them. The property should be inspected at least annually for possible signs of insect and disease activity. Some things to look for are:

- Unseasonable leaf fall
- Discoloration of leaves or needles
- Pitch pockets on pine trees
- Heavy defoliation of hardwood leaves
- Groups of three or more dying trees within a stand

This list does not cover all instances of insect or disease attacks. If anything unusual is noticed, report it to a forester. In most cases, insect and disease problems can be controlled if discovered early.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Fire Protection

Your forest should be protected from wildfire at all times. The best way to protect your investment is by establishing and maintaining firebreaks around the property. Guidelines for establishment and maintenance of firebreaks may be found in Mississippi Forestry Commission publication #107, *Mississippi's Best Management Practices*

Grazing

Tree seedlings should be protected from grazing until such time as the terminal bud of the sapling is beyond reach of livestock. Domestic livestock should be denied access to the tree planting area.

Boundary Lines

Boundary lines will be maintained by the Mississippi Forestry Commission on a 4 year rotation. All lines will be marked in red or orange paint.

SOIL TYPES

Kk

The Kirkville component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on flood plains. The parent material consists of loamy alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is occasionally flooded. It is not ponded. A seasonal zone of water saturation is at 24 inches during January, February, March, April. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 2w. This soil does not meet hydric criteria. Loblolly Site Index = 95.

OrC2

The Ora component makes up 90 percent of the map unit. Slopes are 5 to 8 percent. This component is on uplands. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer, fragipan, is 18 to 42 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 30 inches during February, March, April. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3e. This soil does not meet hydric criteria. Loblolly Site Index = 83.

RuC

The Ruston component makes up 95 percent of the map unit. Slopes are 5 to 8 percent. This component is on coastal plains. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3e. This soil does not meet hydric criteria. Loblolly Site Index = 84.

SmE

The Smithdale component makes up 90 percent of the map unit. Slopes are 8 to 15 percent. This component is on hillslopes. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria. Loblolly Site Index = 80.

SR

The Smithdale component makes up 75 percent of the map unit. Slopes are 8 to 35 percent. This component is on hillslopes. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 7e. This soil does not meet hydric criteria. Loblolly Site Index = 80.

OrD2

The Ora component makes up 90 percent of the map unit. Slopes are 8 to 12 percent. This component is on uplands. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer, fragipan, is 18 to 42 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 30 inches during February, March, April. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria. Loblolly Site Index = 83.

STRATA

Strata 1

Strata Description

Strata 1 - 104 Acres

Contains stands 15 and 17.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

This is 104 acres that is 7 years old. It was harvested and replanted in 2004 after a storm. The area was site prepped by ariel spray and was then hand planted.

Strata Recommendations

It is recommended that the area be left alone until it is ready for its first thin in the year 2019.

Activity Recommendations

Harvest

Recommended that this area be first thinned in the year 2019. The area should be thinned to 80 square feet basal area. This will be achieved by thinning the weaker and diseased trees first to achieve the 80 square feet basal area.

Strata 2

Stand Description

Strata 2 - 61 Acres

Contains stands 5 and 8.

This stand is 61 acres of pine chip-n-saw timber. The area has already had one thinning and should be looked at in 3 years for the possibility of another

Strata Recommendations

It is recommended that this area be looked at around the year 2014 for possible 2nd thinning.

Activity Recommendations

Harvest

If the area is ready for thinning, it should be thinned to a uniform stand of 80 square feet of basal area.

Strata 3

Strata Description

Strata 3 - 13 Acres

Contains stand 19.

This area is 13 acres that was hand planted in 1993 with Northern Mississippi Genetically Improved pine seedlings.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Strata Recommendations

This area should be looked at for possible first thinning in the year 2014.

Activity Recommendations

Harvest

Recommended that this area be first thinned in the year 2014. The area should be thinned to 80 square feet basal area. This will be achieved by thinning the weaker and diseased trees first to achieve the 80 square feet basal area.

Harvest

The area should be looked at for possible second thinning around the year 2021.

Strata 4

Strata Description

Strata 4 - 66 Acres

Contains stands 3 and 4.

This is 66 acres that was pasture land prior to being planted. The area was site prepped by being bush hogged and was then machine planted with genetically improved pine seedlings in the year 2005.

Strata Recommendations

The area should be left alone until possible first thinning in the year 2020.

Activity Recommendations

Harvest

Recommended that this area be first thinned in the year 2020. The area should be thinned to 80 square feet basal area. This will be achieved by thinning the weaker and diseased trees first to achieve the 80 square feet basal area.

Strata 7

Strata Description

Strata 7 - 25 Acres

Contains stand 7.

This area contains 25 acres that was harvested and replanted in 1998. Site prep was done by ariel spraying and the area was hand planted by using North American Pine Seedlings.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Strata Recommendations

The area should be looked at for a possible first thinning in the year 2017.

Activity Recommendations

Harvest

This area should be first thinned in the year 2017. The area should be thinned to 80 square feet basal area.

Strata 8

Strata Description

Strata 8 - 22 Acres

Contains stand 12.

This area is 22 acres of natural, mixed old growth pine sawtimber.

Strata Recommendations

It is recommended this area be clear cut in 2013 assuming prices are suitable.

Activity Recommendations

Harvest

If prices are suitable, it is recommended that the area have a final harvest in the year 2012.

Regeneration

This area should be hand planted in genetically improved loblolly pine seedlings at a rate of 691 TPA. Survival should be greater than or equal to 400 TPA after the first summer.

Site Preparation

This area should be site-prep aerial sprayed in the fall of 2014. The purpose of the ariel spray will be to control hardwood competition so that the planted pine seedlings can survive and grow.

Fire Protection

A prescribed fire is recommended for this site in order to reduce fuel loading and the potential for a wildfire to occur. A prescribed burning plan must be developed and followed in the application of the burn. Because of equipment, personnel and weather requirements, the application of a prescribed fire is limited to only those days that meet requirements of the burning plan. A certified prescribed burning manager should be employed to conduct the burn. The Mississippi Forestry Commission (on a limited basis) and other certified prescribed burning vendors are available to conduct prescribed burning.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Strata 20

Strata Description

Strata 20 - 130 Acres

Contains stand 10.

This 130 acres was harvested, site prepped, and hand planted in 2011 with genetically improved North Mississippi loblolly pine seedlings.

Strata Recommendations

No activities for this strata at this time.

Strata 25

Strata Description

Strata 25 - 78 Acres

Contains stand 27.

This area contains 78 acres that harvested in the year 2010 and should be replanted in 2012 with genetically improved North Mississippi pine seedlings.

Strata Recommendations

The area should be replanted in 2012 with genetically improved North Mississippi pine seedlings.

Activity Recommendations

Regeneration

The area will be planted in the fall of 2012 with genetically improved North Mississippi pine seedlings.

Strata 26

Strata Description

Strata 26 - 11 Acres

Contains stand 24.

This is 11 acres growth hardwood timber that is being left as an SMZ to protect the drainage.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Strata Recommendations

No activities for this area at this time.

Strata 30

Strata Description

Strata 30 - 89 Acres

Contains stand 13.

This is 89 acres of old growth pine timber that is scheduled to be clear cut in the year 2013.

Strata Recommendations

This area should be looked at to be clear cut in the year 2012.

Activity Recommendations

Harvest

If prices are suitable, it is recommended that the area have a final harvest in the year 2013.

Regeneration

This area should be hand planted in genetically improved loblolly pine seedlings at a rate of 691 TPA. Survival should be greater than or equal to 400 TPA after the first summer.

Site Preparation

This area should be site-prep aerial sprayed in the fall of 2014. The purpose of the aerial spray will be to control hardwood competition so that the planted pine seedlings can survive and grow.

Fire Protection

A prescribed fire is recommended for this site in order to reduce fuel loading and the potential for a wildfire to occur. A prescribed burning plan must be developed and followed in the application of the burn. Because of equipment, personnel and weather requirements, the application of a prescribed fire is limited to only those days that meet requirements of the burning plan. A certified prescribed burning manager should be employed to conduct the burn. The Mississippi Forestry Commission (on a limited basis) and other certified prescribed burning vendors are available to conduct prescribed burning.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

OTHER PLAN ACTIVITIES

Boundary Lines

Line Description

The boundary lines are painted every 4 years in either red or orange boundary paint to make sure the property lines are clearly visible.

Line Recommendations

The boundary lines are painted every 4 years in either red or orange boundary paint to make sure the property lines are clearly visible.

Activity Recommendations

Property Activities

By keeping lines well painted, it makes it easier to find property lines.

Fire Control

Line Description

These lines are used for easy access and maintained for easy fire control.

Line Recommendations

Lines should be pushed and maintained every 4 years.

Activity Recommendations

Fire Protection


Due to well kept fire lanes, accessible roads, and good communication with the community makes for easier fire protection.

Weir

Weir
S16-16N-10E
2012 to 2021
647



(11/29/2011)




Weir

Weir
S16-16N-10E
2012 to 2021
647



(11/29/2011)





Weir

Property



Category 1: Stands

- Clear Cut
- Non-Stocked
- Reproduction
- Sub-Merchantable
- Pulpwood
- Chip-n-Saw
- Sawtimber
- Poles

Category 2: Stands

- Clear Cut
- Non-Stocked
- Reproduction
- Sub-Merchantable
- Pulpwood
- Chip-n-Saw
- Sawtimber
- Poles

Category 3: Non-Forest Stands

- Non-Forest

Category 4: Not in Plan Stands

- Not in Plan

Category 5: Features Only Plan Stand

- Features Only Plan

Restricted Sites

- Archeology
- Cemetery
- Red-Cockaded Woodpecker
- Gopher Tortoise
- Picture Bogg Plant

Forest Health (Points)

- Cogan Grass
- Kudzu
- Japanese Climbing Fern
- Chinese Tallow
- Privet
- Southern Pine Beetle
- Sirex Wasp
- IPPS

Hydrology (Points)

- Concrete Dam
- Beaver Dam
- Earthen Dam
- Permanent
- Temporary
- Wooden
- Other
- Culvert
- Pond

Wildlife (Points)

- Food Plot
- Water Hole
- Feeder

Boundary Corners

- Property
- Section
- Quarter Section
- Areas

Structures

- Barn
- Tractor Shed
- Out Building
- Single-Family
- Multi-Family
- Camp House
- Club House
- Office Building
- Manufacturing
- Warehouse
- Chicken House
- Horse Stall
- Milking Parlor
- Hog Pen
- Blind
- Stand
- Hospital
- Nursing Home
- Dr. Clinic
- State Facility
- Office
- Work Center
- Materials Depot
- Prison
- School
- Church
- Mosque
- Synagogue
- Other

Cruise Plots

- Pre-Cruise
- Post-Cruise

Other

- Towers
- Logging Deck
- Locked
- Water
- Oil
- Natural Gas

Property Roads/Trails

- Drive Ways
- Access Road
- Logging Road
- Skid Trail
- Farm Road
- Hiking Trail
- Horseback Riding Trail

Boundary Lines

- Archeology
- Cemetery
- Drilling Sites
- Education

Boundary Lines (cont)

- Forest Health
- Invasive Species
- Management Compartment
- Military Area
- Natural Area
- Property
- Recreation
- Rights of Way
- SMZ
- Special Use
- Stand
- Surface Mining
- Threatened/Endangered Species
- Visual Buffer

Fire Control

- Temporary Line
- Permanent Fire Break

Wildlife (Lines)

- Green Strip

Fire

- Mitigation Burn
- Silviculture Burn
- Site-Prep Burn
- Wildfire

School Land Lease

- Hunting
- Minerals
- Recreation

Restricted Area

- SMZ
- Archeology,
- Cemetery
- Visual Buffer
- Special Use
- Natural Area
- Education
- Recreation
- Military Area
- Large Utility
- Red-Cockaded Woodpecker
- Gopher Tortoise
- Picture Bogg Plant
- Coal
- Gravel
- Dirt
- Water
- Oil
- Natural Gas

Forest Health (Polygons)

- Cogan Grass
- Kudzu
- Japanese Climbing Fern
- Chinese Tallow
- Privet
- Southern Pine Beetle
- Sirex Wasp
- IPPS

School Land Classification

- Forest Land
- Farm/Residential Land
- Residential Land
- Agricultural Land
- Industrial Land
- Recreational Land
- Catfish Farming Land
- Other Land
- Commercial Land

Management Compartment

- Management
- Regeneration
- Site Preparation
- Post Plant
- Site Improvement
- Vegetation Control
- Stand Improvement
- Invasive Species Control
- Harvest
- Fire Protection
- Technical
- Wildlife Management
- Property Activities
- Roads
- SMZ
- Forest Health
- Recreation
- Site Restoration

Transportation (Lines)

- City Streets
- County Roads
- 3 Digit Highway
- Interstate Highway
- US Highway
- State Highway
- Natchez Trace Parkway
- Runways/Airports
- Active RR
- Abandoned RR

Hydrology (Lines)

- Mississippi River
- Major River
- Primary Stream
- Intermittent Stream
- Canal
- Ditch
- Earthen Dam
- Concrete Dam

Utilities (Lines)

- Large Electrical
- Local Utility
- Large Pipeline
- Small Pipeline
- Gas Line
- Utility Line
- Water Line

Activities by Client and FY Report

Filters Applied: County: Choctaw
 Client Class:
 District:
 Client: Choctaw BOE
 STR: 16 16N 10E
 Year: 2012 Through 2021

Client Name	Year	Activity Name	Practice	STR	Est. Acres	Est. Cost	Est. Revenue
Choctaw BOE	2012	Fire Protection					
			Burn				
				16 16N 10E	89	\$2,225.00	\$0.00
					22	\$550.00	\$0.00
				Totals	111	\$2,775.00	\$0.00
				Summary for 'Act_Name' = Fire Protection			
				Totals	111	\$2,775.00	\$0.00
		Regeneration					
			Plant				
				16 16N 10E	78	\$7,800.00	\$0.00
				Totals	78	\$7,800.00	\$0.00
				Summary for 'Act_Name' = Regeneration			
				Totals	78	\$7,800.00	\$0.00
				Summary for 'PlanYear' = 2012			
				Totals	189	\$10,575.00	\$0.00
	2013	Harvest					
			Final				
				16 16N 10E	22	\$770.00	\$31,383.88
					89	\$3,115.00	\$180,451.06
				Totals	111	\$3,885.00	\$211,834.94

Client Name	Year	Activity Name	Practice	STR	Est. Acres	Est. Cost	Est. Revenue
				Totals	Summary for 'Act_Name' = Harvest 111	\$3,885.00	\$211,834.94
				Totals	Summary for 'PlanYear' = 2013 111	\$3,885.00	\$211,834.94
	2014	Harvest					
			2nd Thin				
				16 16N 10E	51	\$1,785.00	\$18,360.00
					10	\$350.00	\$3,600.00
				Totals	61	\$2,135.00	\$21,960.00
			Thin				
				16 16N 10E	13	\$455.00	\$1,950.00
				Totals	13	\$455.00	\$1,950.00
				Totals	Summary for 'Act_Name' = Harvest 74	\$2,590.00	\$23,910.00
		Regeneration					
			Plant				
				16 16N 10E	89	\$8,900.00	\$0.00
					22	\$2,200.00	\$0.00
				Totals	111	\$11,100.00	\$0.00
				Totals	Summary for 'Act_Name' = Regeneration 111	\$11,100.00	\$0.00
		Site Preparation					
			Broadcast				
				16 16N 10E	22	\$2,200.00	\$0.00
					89	\$8,900.00	\$0.00
				Totals	111	\$11,100.00	\$0.00

Client Name	Year	Activity Name	Practice	STR	Est. Acres	Est. Cost	Est. Revenue
				Totals	Summary for 'Act_Name' = Site Preparation		
					111	\$11,100.00	\$0.00
				Totals	Summary for 'PlanYear' = 2014		
					296	\$24,790.00	\$23,910.00
2017							
Harvest							
Thin							
				16 16N 10E	25	\$875.00	\$3,000.00
				Totals	25	\$875.00	\$3,000.00
				Totals	Summary for 'Act_Name' = Harvest		
					25	\$875.00	\$3,000.00
				Totals	Summary for 'PlanYear' = 2017		
					25	\$875.00	\$3,000.00
2019							
Harvest							
1st Thin							
				16 16N 10E	89	\$3,115.00	\$10,680.00
					14.78	\$517.30	\$1,773.60
				Totals	103.78	\$3,632.30	\$12,453.60
				Totals	Summary for 'Act_Name' = Harvest		
					103.78	\$3,632.30	\$12,453.60
				Totals	Summary for 'PlanYear' = 2019		
					103.78	\$3,632.30	\$12,453.60
2020							
Harvest							
1st Thin							
				16 16N 10E	57	\$1,995.00	\$6,840.00
					8.49	\$297.15	\$1,018.80
				Totals	65.49	\$2,292.15	\$7,858.80

Client Name	Year	Activity Name	Practice	STR	Est. Acres	Est. Cost	Est. Revenue
				Totals	Summary for 'Act_Name' = Harvest 65.49	\$2,292.15	\$7,858.80
				Totals	Summary for 'PlanYear' = 2020 65.49	\$2,292.15	\$7,858.80
	2021						
		Harvest					
			2nd Thin				
				16 16N 10E	13	\$455.00	\$3,120.00
				Totals	13	\$455.00	\$3,120.00
				Totals	Summary for 'Act_Name' = Harvest 13	\$455.00	\$3,120.00
				Totals	Summary for 'PlanYear' = 2021 13	\$455.00	\$3,120.00
				Totals	Summary for 'ClientName' = Choctaw BOE 803.27	\$46,504.45	\$262,177.34
Grand Totals					803.27	\$46,504.45	\$262,177.34