



Vision • Commitment • Pride

FOREST STEWARDSHIP MANAGEMENT PLAN

Prepared For:
Jones County BOE

Prepared By:
Aaron Nathaniel Rambin
Mississippi Forestry Comm.

Time Period Covered by This Plan:
2012 - 2021

Date Plan Prepared:
2012-01-04

Plan Type:
Stewardship / Stewardship

This plan was developed in accordance with the rules of the Stewardship program.

Property Name: 16_T7N_R11W

TABLE OF CONTENTS

LANDOWNER INFORMATION	3
FORESTER INFORMATION	3
DISCLAIMER	3
INTRODUCTION	3
OBJECTIVES	4
PROPERTY DESCRIPTION	4
GENERAL PROPERTY RECOMMENDATIONS	5
SOIL TYPES	7
STRATA	9
OTHER PLAN ACTIVITIES	14
PLAN MAP	17
PLAN MAP	18
STRATA ACTIVITY SCHEDULE	19

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

LANDOWNER INFORMATION

Organization: Jones County B. O. E.
Name: Jones County BOE
Mailing Address: 5204 Hwy 11 N
City, State, Zip: Ellisville, MS 39437
Country: United States of America
Contact Numbers: Home Number:
Office Number: 601-649-5201
Fax Number:
E-mail Address: sethrash@jones.k12.ms.us
Social Security Number (optional): 646000536

FORESTER INFORMATION

Name: Aaron Nathaniel Rambin , Service Forester
Forester Number: 02418
Organization: Mississippi Forestry Comm.
Street Address: 101 N. Court St.
Suite E
City, State, Zip: Ellisville, MS 39437
Contact Numbers: Office Number: 601-477-3735
Fax Number: 601-477-3739
E-mail Address: arambin@mfc.state.ms.us

PROPERTY LOCATION

County: Jones Total Acres: 637 Latitude: -89.1 Longitude: 31.57
Section: 16 Township: 7N Range: 11W

DISCLAIMER

This information was derived from a small sampling of the forest resources. It reflects a statistical estimation that is only intended to be accurate enough for the purposes of making decisions for the short-term management of these resources. These estimations are temporally static. Events and circumstances may occur within the survey area that will physically alter the forest resources and therefore will not be reflected in this plan.

INTRODUCTION

This Forest Stewardship Management Plan will serve as a guide for accomplishing the goals and objectives for your property. In addition to addressing your specific goals and objectives, this plan includes recommendations for maintaining soil and water quality and protecting your forest from insects, disease, and wildfire. Recommendations are based on observation and assessment of the site.

OBJECTIVES

Timber Production

The goal is to produce high quality sawtimber. This will be accomplished through reforestation and timber stand improvement practices such as herbicide applications, prescribed burning, thinning at specified intervals, and other silvicultural practices. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

Wildlife Management - General

The goal is to provide a diversity of habitats suitable for a variety of game and non-game wildlife species. Habitat management will focus on developing a variety of food, cover, water, and space. This will be accomplished by establishing and maintaining access roads and firelanes, providing openings within the forest, and the management of trees located within the Streamside Management Zone

PROPERTY DESCRIPTION

General Property Information

General

This section consists of one full section of land containing 640 acres. It is located approximately fourteen (14) miles east of Ellisville. Spur Line Road and Old Highway 15 transect the section and provide access. There are two large power line right-of-ways that transect the section. Tiger Branch flows from west to east across the southern portion of the section.

Approximately five hundred and eighty-one (581) acres of this section are forested with the remaining fifty-five (55) acres in pasture and residential leases. It is predominately Loblolly Pine plantation ranging from six (6) to thirty (30) years of age. There are no forest management activities scheduled to occur on the non-forested areas.

Approximately one hundred and fourteen (114) acres were first thinned in fiscal year 2010.

Archeological or Cultural Resources:

These areas can range from churches, old cemeteries or Indian mounds to old home sites or other areas of historical significance.

No Archeological or Cultural resources were identified during a reconnaissance of the property. However, if Archeological or Cultural resources are discovered anytime on the property special managements measures will be applied immediately in order preserve these sensitive areas.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Water Resources

Tiger Branch is the primary perennial water resource located on this section. Tiger Branch and all intermittent streams and drains identified will be managed in accordance with Mississippi's Best Management Practices.

Timber Production

The goal is to maximize the production of high quality timber. This will be accomplished through the application of timely thinning and other silvicultural practices designed to enhance timber quality and growth. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

Threatened and Endangered Species

No threatened and endangered species were identified during the reconnaissance and evaluation of your property.

Interaction with Surrounding Property

Prescribed practices should be carried out in a manner that will minimize adverse impacts on surrounding properties. Consideration should be given to potential air, water, visual, and other impacts. In addition, practices carried out should have positive effects on the surrounding community such as improved wildlife habitat and soil stabilization.

Soils General

Soils were evaluated on the property to determine the suitability of the site for the proposed activities. Forest practices were planned so as to minimize erosion or other adverse effects on the soil.

GENERAL PROPERTY RECOMMENDATIONS

Forest Protection

A healthy vigorously growing stand is the best defense to an attack from a variety of forest insects, plants and pathogens.

Insects and Diseases

Trees are subject to attack from insects and diseases. Different insects and diseases affect trees according to the age, species, and condition of the trees. Planted stands of pines and pure stands of hardwoods are particularly susceptible to attack. Since there are many different insects and diseases, no attempt will be made here to explain all of them. The property should be inspected at least annually for possible signs of insect and disease activity. Some things to look for are:

MISSISSIPPI FORESTRY COMMISSION

FOREST STEWARDSHIP MANAGEMENT PLAN

- Unseasonable leaf fall
- Discoloration of leaves or needles
- Pitch pockets on pine trees
- Heavy defoliation of hardwood leaves
- Groups of three or more dying trees within a stand

This list does not cover all instances of insect or disease attacks. If anything unusual is noticed, report it to a forester. In most cases, insect and disease problems can be controlled if discovered early.

Fire Protection

Your forest should be protected from wildfire at all times. The best way to protect your investment is by establishing and maintaining firebreaks around the property. Guidelines for establishment and maintenance of firebreaks may be found in Mississippi Forestry Commission publication #107, *Mississippi's Best Management Practices*.

Grazing

Tree seedlings should be protected from grazing until such time as the terminal bud of the sapling is beyond reach of livestock. Domestic livestock should be denied access to the tree planting area.

Boundary Lines

Properly maintained boundary lines are essential to successfully complete all forest management activities. Boundary lines mitigate the possibility of accidental timber theft and encroachment. Boundary lines will be marked with orange paint. The boundary lines will be repainted every six years unless unordinary circumstances require a shorter painting rotation.

Note: Some forest practices may cause temporary adverse environmental or aesthetic impacts. These practices will only cause short-term adverse impacts where they are installed. Special efforts will be made to minimize adverse effects when carrying out any of the practices. Examples include: site preparation, planting, prescribed fires, firebreak installation and maintenance, road installation and maintenance, pesticide applications and timber harvesting.

Water Quality Protection

The objective of the landowner is to protect, preserve and enhance all water sources on or transecting the property. This can best be achieved by implementation of Best Management Practices in all aspects of the management of the property.

Aesthetics

The goal is to assure that the property is managed in such a way that is aesthetically pleasing to the landowner as well as the community. Activities such as thinning, prescribed burning and leaving buffer zones around harvested areas may be utilized to enhance the aesthetics of the section.

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

Ecological Restoration

Ecological restoration is the process of assisting the recovery of an ecosystem that has been degraded, damaged, or destroyed. A reconnaissance of the property has been conducted and no ecological restoration activities are recommended at this time.

Wildlife Mgt. Target Species

The objective of this practice is to provide habitat best suited for the featured or target species. Habitat management will focus on providing food, cover, water, and space to facilitate the target species.

Environmental Education

Environmental educational goals are to provide educational opportunities for children and adults. This may be accomplished by allowing schools within the school district to utilize the sections for different classes where it is applicable. The forestry program at the local junior college could also be allowed to conduct projects on the sections to enhance their educational experience.

Wildlife Management General

The goal is to provide a diversity of habitats suited for a variety of game and non-game wildlife species. Habitat management will focus on providing a variety of food, cover, water, and space. This will be accomplished, in part, by establishing and maintaining access roads and firelanes, providing openings within the forest, and leaving mast producing and den trees.

Timber Management

Timber management goals for this property are to manage timber resources in such a manner as to maximize timber production throughout the life of the stand.

Recreation

According to the landowner objectives the recreational use of this 16th section could prove to be an avenue for generating additional income. This can be accomplished by leasing forested areas for hunting and fishing purposes.

SOIL TYPES

Savannah

The Savannah component makes up 90 percent of the map unit. Slopes are 5 to 8 percent. This component is on coastal plains. The parent material consists of loamy alluvium deposits. Depth to a root restrictive layer, fragipan, is 16 to 38 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 24 inches during January, February, March. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3e. This soil does not meet hydric criteria. Loblolly Site Index = 88. Longleaf Site Index = 78.

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

Slash Site Index = 88.

Smithdale

The Smithdale component makes up 90 percent of the map unit. Slopes are 8 to 15 percent. This component is on coastal plains. The parent material consists of Loamy Alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria. Loblolly Site Index = 86. Longleaf Site Index = 69. Slash Site Index = 85.

Freest

The Freest component makes up 90 percent of the map unit. Slopes are 5 to 8 percent. This component is on coastal plains. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is high. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 24 inches during January, February, March, April. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 3e. This soil does not meet hydric criteria. Loblolly Site Index = 90. Slash Site Index = 85.

Stough

The Stough component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on coastal plains. The parent material consists of Loamy alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 14 inches during January, February, March, April. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2w. This soil does not meet hydric criteria. Loblolly Site Index = 90. Slash Site Index = 86.

Benndale

The Benndale component makes up 90 percent of the map unit. Slopes are 0 to 8 percent. This component is on coastal plains. The parent material consists of Marine sediments or alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. Loblolly Site Index = 94. Longleaf Site Index = 79. Slash Site Index = 94.

Susquehanna

The Susquehanna component makes up 90 percent of the map unit. Slopes are 2 to 5 percent. This component is on coastal plains. The parent material consists of clayey marine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches is high. Shrink-swell potential is high. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria. Loblolly Site Index = 78.

Heidel

The Heidel component makes up 45 percent of the map unit. Slopes are 8 to 20 percent. This component is on coastal plains. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 6e. This soil does not meet hydric criteria. The Benndale component makes up 35 percent of the map unit. Slopes are 8 to 12 percent. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria.

McLaurin

The McLaurin component makes up 90 percent of the map unit. Slopes are 2 to 5 percent. This component is on coastal plains. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. Loblolly Site Index = 90. Longleaf Site Index = 72. Slash Site Index = 90.

STRATA

Strata 1

Strata Description

Strata 1: Pulpwood

These stands are classified as pulpwood and are composed of loblolly pine plantations that were planted in 1993.

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

Stands: 2, 12, 13, 14

Strata 1 Total Acres: 114.11

Strata Recommendations

These stands will be managed to a 35 to 40 year rotation. During this time management activities such as thinnings, mid-rotation release, and prescribed burning will be used to keep the stands at full production and improve wildlife habitat.

Activity Recommendations

Fire Protection

A prescribed burn is tentatively scheduled for these stands in fiscal year 2017. The main objective of this prescribed burn is to reduce fuel loads and competing vegetation. This burn will also improve access for Mississippi Forestry Commission employees and prospective timber buyers in future timber sales. The burn should be completed in the winter or early spring of 2016-2017.

Harvest

A second thinning is scheduled for the stands in this strata in fiscal year 2018. This harvest operation will focus on improving the stand quality, growth, and vigor. The stands will be thinned by removing stems that display poor growth, poor form, and disease. The target basal area will be seventy-five (75) square feet per acre.

Strata 2

Strata Description

Strata 2: Clear Cut

These stands are classified as clear cut. All merchantable timber was harvested from these stands in fiscal year 2011.

Stands: 1, 3, 4, 10, 24

Strata 2 Total Acres: 181.40

Strata Recommendations

These stands will be managed to a 35 to 40 year rotation, after they are reforested. During this time management activities such as thinnings, mid-rotation release, and prescribed burning will be used to keep the stands at full production and improve wildlife habitat.

Activity Recommendations

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

Site Preparation

These stands will be treated with a chemical site preparation in the late summer or early fall following the final harvest. The treatment should be completed several weeks before the first hard frost occurs. This treatment is scheduled to be completed in fiscal year 2013.

Site Preparation

These stands will be treated with a site preparation prescribed burn in fiscal year 2013. The burn will be conducted no sooner than six (6) weeks following the chemical site preparation. This will ensure that the competing vegetation has had time to properly absorb the herbicide. The site preparation burn should be completed in the late fall of 2012.

Regeneration

These stands will be replanted following all site preparation activities in fiscal year 2013. The stands will be planted with Loblolly Pine Seedlings at a rate of 605 trees per acre. This stocking will be accomplished by spacing the seedlings 6 feet by 12 feet. The tree planting should be completed between December 2012 and February 2013.

Technical

A seedling survival inventory should be completed in the fall of 2013 to ensure that the stands are adequately stocked.

Strata 3

Strata Description

Strata 3: Reproduction

These stands are classified as reproduction and are composed of loblolly pine plantations that were planted in 2005.

Stands: 19, 23

Strata 3 Total Acres: 50.46

Strata Recommendations

These stands will be managed to a 35 to 40 year rotation. During this time management activities such as thinnings, mid-rotation release, and prescribed burning will be used to keep the stands at full production and improve wildlife habitat.

Activity Recommendations

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Harvest

A first thinning is scheduled for the stands in this strata in fiscal year 2019. This harvest operation will focus on improving the stand quality, growth, and vigor. The stands will thinned by removing every fifth row. Stems that display poor growth, poor form, and disease located within the four (4) leave rows will also be removed. The target basal area will be eighty (80) square feet per acre.

Strata 4

Strata Description

Strata 4: Sub-Merchantable

These stands are classified as sub-merchantable and are composed of loblolly pine plantations that were planted in 1999.

Stands: 8, 17, 20

Strata 4 Total Acres: 177.98

Strata Recommendations

These stands will be managed to a 35 to 40 year rotation. During this time management activities such as thinnings, mid-rotation release, and prescribed burning will be used to keep the stands at full production and improve wildlife habitat.

Activity Recommendations

Harvest

A first thinning is scheduled for the stands in this strata in fiscal year 2013. This harvest operation will focus on improving the stand quality, growth, and vigor. The stands will thinned by removing every fifth row. Stems that display poor growth, poor form, and disease located within the four (4) leave rows will also be removed. The target basal area will be eighty (80) square feet per acre.

Fire Protection

A prescribed burn is tentatively scheduled for these stands in fiscal year 2020. The main objective of this prescribed burn is to reduce fuel loads and competing vegetation. This burn will also improve access for Mississippi Forestry Commission employees and prospective timber buyers in future timber sales. The burn should be completed in the winter or early spring of 2019-2020.

Harvest

A second thinning is scheduled for the stands in this strata in fiscal year 2021. This harvest operation will focus on improving the stand quality, growth, and vigor. The stands will be thinned by removing stems that display poor growth, poor form, and disease. The target basal area will be seventy-five (75) square feet per acre.

Strata 5

Strata Description

Strata 5: Chip-N-Saw

These stands are classified as chip-n-saw and are composed of loblolly pine plantations that were planted in 1981.

Stands: 6, 7, 11

Strata 5 Total Acres: 36.42

Strata Recommendations

These stands will be managed to a 35 to 40 year rotation. During this time management activities such as thinnings, mid-rotation release, and prescribed burning will be used to keep the stands at full production and improve wildlife habitat.

Activity Recommendations

Harvest

These stands will be harvested of all merchantable timber in fiscal year 2016. Timber market conditions will be closely monitored to ensure the proper timing of the timber sale in order to maximize the timber sale revenue.

Site Preparation

These stands will be treated with a chemical site preparation in the late summer or early fall following the final harvest. The treatment should be completed several weeks before the first hard frost occurs. This treatment is scheduled to be completed in fiscal year 2017.

Site Preparation

These stands will be treated with a site preparation prescribed burn in fiscal year 2017. The burn will be conducted no sooner than six (6) weeks following the chemical site preparation. This will ensure that the competing vegetation has had time to properly absorb the herbicide. The site preparation burn should be completed in the late fall of 2016.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Regeneration

These stands will be replanted following all site preparation activities in fiscal year 2017. The stands will be planted with Loblolly Pine Seedlings at a rate of 605 tree per acre. This stocking will be accomplished by spacing the seedlings 6 feet by 12 feet. The tree planting should be completed between December 2016 and February 2017.

Technical

A seedling survival inventory should be completed in the fall of 2017 to ensure that the stands are adequately stocked.

Strata 6

Strata Description

Strata 6: Sawtimber

These stands are classified as sawtimber and are composed of natural mixed species stands that were established around 1956.

Stands: 15, 16, 18, 21, 22

Strata 6 Total Acres: 42.78

Strata Recommendations

These stands should be maintained in their current health and condition to protect the water quality of the streams and enhance wildlife habitat. Selective harvesting may be completed within these stands during harvesting of adjacent stands, but the integrity of the stands should be maintained.

OTHER PLAN ACTIVITIES

Boundary Lines

Line Description

Generally, these lines consist of permanent boundary lines that delineate the sixteenth section boundary. They are usually well established and readily identifiable by a permanent fire lane and a painted line.

Line Recommendations

All boundary lines will be repainted on a six (6) year rotation to ensure that they kept in good condition. Unordinary circumstances such as new surveys and timber loss from weather may require the boundary lines to be painted on a shorter rotation.

Activity Recommendations

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

Property Activities

This boundary line will be repainted with orange boundary line paint in fiscal year 2012.

Property Activities

This boundary line will be repainted with orange boundary line paint in fiscal year 2018.

Fire Control

Line Description

These lines consist of a permanent fire lane that is approximately fifteen (15) wide. These fire lanes are established and maintained where appropriate to improve access and help distinguish the boundary line.

Line Recommendations

All previously established permanent fire lanes will be maintained by disking, mowing, spraying, or pushing every two (2) years.

Activity Recommendations

Fire Protection

These permanent fire lanes will be disked or pushed with a bull dozer in fiscal year 2012.

Fire Protection

These permanent fire lanes will be disked or pushed with a bull dozer in fiscal year 2014.

Fire Protection

These permanent fire lanes will be disked or pushed with a bull dozer in fiscal year 2016.

Fire Protection

These permanent fire lanes will be disked or pushed with a bull dozer in fiscal year 2018.

Fire Protection


These permanent fire lanes will be disked or pushed with a bull dozer in fiscal year 2020.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**



Jones County School District

Section 16, Township 7 N, Range 11 W
2012 to 2021
637.17 Acres



(12/06/2011)

0 0.1 0.2 0.3 0.4 Miles

Property Map Legend



Property Map Legend: Section 16, Township 7N, Range 11W

Property

Property (1)

Category 1: Stands

- Clear Cut (5)
- Pulpwood (4)
- Chip-n-Saw (3)

Category 1: Stands (cont)

- Sub-Merchantable (3)
- Sawtimber (5)
- Reproduction (2)

Category 3: Non-Forest Stands

- Non-Forest (3)

Fire Control

Permanent Fire Break (1)

MFC Basemap

County Boundary

County Boundary (1)

Quadrangle Grid

USGS Quad (1)

PLS Townships

PLS Townships (1)

Survey Districts

District 5 (1)

Blockgroup (Census 2000)

Blockgroup (Census 2000) (2)

Block (Census 2000)

Block (Census 2000) (11)

Tract/BNA (Census 2000)

Tract/BNA (Census 2000) (1)

County Roads

County Roads (4)

Transmission Lines

Transmission Lines (1)

School Sections

School Sections (1)

Public School Districts

JONES COUNTY SCHOOL DISTRICT (1)

US Congressional District

US Cong Dist #4 (1)

MS Senate

42 (1)

MS House

88 (1)

Intermittent Streams

Intermittent Streams (3)

Dam Locations

Dam Locations (1)

Hydrologic Units (Basins)

LOWER LEAF RIVER (1)

Historic Forest Boundary

Longleaf Pine with Loblolly Pine-Slash Pine (1)

MS Forest Habitat

- SOUTHERN CLAY HILLS (1)
- SOUTHERN LOAM HILLS-RUGGED TOPOGRAPHY (1)

Physiographic Region

Pine Belt (1)

Soil Associations

mclaurin-heidel-prentiss (1)

Surface Geology

- CATAHOULA (1)
- PASCAGOULA/HATTIESBURG (1)

MFC Districts

MFC Districts (1)

MFC Dispatch Units

MFC Dispatch Units (1)

MS Outline

MS Outline (1)

Stand Activity Schedule for

16 7N 11W

Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
2013					
2	1	Site Preparation, Other, Burn, Hand, Cut-Over	146	\$3,644.50	\$0.00
2	1	Regeneration, Artificial, Plant, Machine, Loblolly	146	\$19,680.30	\$0.00
2	1	Site Preparation, Chemical, Broadcast, Aerial, Combination	146	\$13,849.10	\$0.00
2	1	Technical, Establish, Cruise, Hand, Inventory	146	\$145.78	\$0.00
2	3	Regeneration, Artificial, Plant, Machine, Loblolly	12	\$1,667.25	\$0.00
2	3	Site Preparation, Chemical, Broadcast, Aerial, Combination	12	\$1,173.25	\$0.00
2	3	Site Preparation, Other, Burn, Hand, Cut-Over	12	\$308.75	\$0.00
2	3	Technical, Establish, Cruise, Hand, Inventory	12	\$12.35	\$0.00
2	4	Site Preparation, Chemical, Broadcast, Aerial, Combination	3	\$266.95	\$0.00
2	4	Regeneration, Artificial, Plant, Machine, Loblolly	3	\$379.35	\$0.00
2	4	Site Preparation, Other, Burn, Hand, Cut-Over	3	\$70.25	\$0.00
2	4	Technical, Establish, Cruise, Hand, Inventory	3	\$2.81	\$0.00
2	10	Technical, Establish, Cruise, Hand, Inventory	17	\$16.67	\$0.00
2	10	Site Preparation, Other, Burn, Hand, Cut-Over	17	\$416.75	\$0.00
2	10	Site Preparation, Chemical, Broadcast, Aerial, Combination	17	\$1,615.00	\$0.00
2	10	Regeneration, Artificial, Plant, Machine, Loblolly	17	\$2,295.00	\$0.00
2	24	Technical, Establish, Cruise, Hand, Inventory	4	\$3.79	\$0.00
2	24	Regeneration, Artificial, Plant, Machine, Loblolly	4	\$511.65	\$0.00
2	24	Site Preparation, Other, Burn, Hand, Cut-Over	4	\$94.75	\$0.00
2	24	Site Preparation, Chemical, Broadcast, Aerial, Combination	4	\$360.05	\$0.00

Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
4	8	Harvest, Mechanical, 1st Thin, Machine, Loblolly	173	\$6,055.00	\$44,980.00
4	17	Harvest, Mechanical, 1st Thin, Machine, Loblolly	1	\$37.80	\$280.80
4	20	Harvest, Mechanical, 1st Thin, Machine, Loblolly	4	\$145.95	\$1,084.20
Yearly Totals			905	\$52,753.05	\$46,345.00

2016

5	6	Harvest, Mechanical, Final, Machine, Loblolly	4	\$131.95	\$4,867.07
5	7	Harvest, Mechanical, Final, Machine, Loblolly	5	\$160.65	\$5,925.69
5	11	Harvest, Mechanical, Final, Machine, Loblolly	28	\$980.00	\$36,148.00
Yearly Totals			36	\$1,272.60	\$46,940.76

2017

1	2	Fire Protection, Other, Burn, Hand, Fuel Reduction	67	\$1,684.50	\$0.00
1	12	Fire Protection, Other, Burn, Hand, Fuel Reduction	12	\$307.50	\$0.00
1	13	Fire Protection, Other, Burn, Hand, Fuel Reduction	18	\$446.75	\$0.00
1	14	Fire Protection, Other, Burn, Hand, Fuel Reduction	17	\$425.00	\$0.00
5	6	Site Preparation, Chemical, Broadcast, Aerial, Combination	4	\$358.15	\$0.00
5	6	Technical, Establish, Cruise, Hand, Inventory	4	\$3.77	\$0.00
5	6	Regeneration, Artificial, Plant, Hand, Loblolly	4	\$508.95	\$0.00
5	6	Site Preparation, Other, Burn, Hand, Cut-Over	4	\$94.25	\$0.00
5	7	Technical, Establish, Cruise, Hand, Inventory	5	\$4.59	\$0.00
5	7	Regeneration, Artificial, Plant, Hand, Loblolly	5	\$675.00	\$0.00
5	7	Site Preparation, Chemical, Broadcast, Aerial, Combination	5	\$475.00	\$0.00
5	7	Site Preparation, Other, Burn, Hand, Cut-Over	5	\$125.00	\$0.00
5	11	Site Preparation, Chemical, Broadcast, Aerial, Combination	28	\$2,665.70	\$0.00

Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
5	11	Technical, Establish, Cruise, Hand, Inventory	28	\$28.00	\$0.00
5	11	Regeneration, Artificial, Plant, Hand, Loblolly	28	\$3,788.10	\$0.00
5	11	Site Preparation, Other, Burn, Hand, Cut-Over	28	\$701.50	\$0.00
Yearly Totals			261	\$12,291.76	\$0.00

2018

1	2	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	67	\$2,358.30	\$23,583.00
1	12	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	12	\$430.50	\$4,305.00
1	13	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	18	\$630.00	\$6,300.00
1	14	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	17	\$579.60	\$5,796.00
Yearly Totals			114	\$3,998.40	\$39,984.00

2019

3	19	Harvest, Mechanical, 1st Thin, Machine, Loblolly	2	\$82.95	\$616.20
3	23	Harvest, Mechanical, 1st Thin, Machine, Loblolly	26	\$910.00	\$6,760.00
Yearly Totals			28	\$992.95	\$7,376.20

2020

4	8	Fire Protection, Other, Burn, Hand, Hazard Mitigation	173	\$4,318.25	\$0.00
4	17	Fire Protection, Other, Burn, Hand, Hazard Mitigation	1	\$27.00	\$0.00
4	20	Fire Protection, Other, Burn, Hand, Hazard Mitigation	4	\$104.25	\$0.00
Yearly Totals			178	\$4,449.50	\$0.00

2021

4	8	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	173	\$6,055.00	\$60,550.00
4	17	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	1	\$37.80	\$378.00
4	20	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	4	\$145.95	\$1,459.50
Yearly Totals			178	\$6,238.75	\$62,387.50

Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
Grand Totals			1.701	\$81,997.01	\$203,033.46