



Vision • Commitment • Pride

# FOREST STEWARDSHIP MANAGEMENT PLAN

Prepared For:  
Jones County BOE

Prepared By:  
Aaron Nathaniel Rambin  
Mississippi Forestry Comm.

Time Period Covered by This Plan:  
2012 - 2021

Date Plan Prepared:  
2012-01-04

Plan Type:  
Stewardship / Stewardship

This plan was developed in accordance with the rules of the Stewardship program.

**Property Name: 16\_T8N\_R12W**

# TABLE OF CONTENTS

LANDOWNER INFORMATION .....	3
FORESTER INFORMATION .....	3
DISCLAIMER .....	3
INTRODUCTION .....	3
OBJECTIVES .....	4
PROPERTY DESCRIPTION .....	4
GENERAL PROPERTY RECOMMENDATIONS .....	5
SOIL TYPES .....	7
STRATA .....	9
OTHER PLAN ACTIVITIES .....	14
PLAN MAP .....	15
PLAN MAP .....	16
STRATA ACTIVITY SCHEDULE .....	17

## LANDOWNER INFORMATION

Organization: Jones County B. O. E.  
Name: Jones County BOE  
Mailing Address: 5204 Hwy 11 N  
City, State, Zip: Ellisville, MS 39437  
Country: United States of America  
Contact Numbers: Home Number:  
Office Number: 601-649-5201  
Fax Number:  
E-mail Address: sethrash@jones.k12.ms.us  
Social Security Number (optional): 646000536

## FORESTER INFORMATION

Name: Aaron Nathaniel Rambin , Service Forester  
Forester Number: 02418  
Organization: Mississippi Forestry Comm.  
Street Address: 101 N. Court St.  
Suite E  
City, State, Zip: Ellisville, MS 39437  
Contact Numbers: Office Number: 601-477-3735  
Fax Number: 601-477-3739  
E-mail Address: arambin@mfc.state.ms.us

## PROPERTY LOCATION

County: Jones Total Acres: 642 Latitude: -89.21 Longitude: 31.66  
Section: 16 Township: 8N Range: 12W

## DISCLAIMER

This information was derived from a small sampling of the forest resources. It reflects a statistical estimation that is only intended to be accurate enough for the purposes of making decisions for the short-term management of these resources. These estimations are temporally static. Events and circumstances may occur within the survey area that will physically alter the forest resources and therefore will not be reflected in this plan.

## INTRODUCTION

This Forest Stewardship Management Plan will serve as a guide for accomplishing the goals and objectives for your property. In addition to addressing your specific goals and objectives, this plan includes recommendations for maintaining soil and water quality and protecting your forest from insects, disease, and wildfire. Recommendations are based on observation and assessment of the site.

## OBJECTIVES

### *Timber Production*

The goal is to produce high quality sawtimber. This will be accomplished through reforestation and timber stand improvement practices such as herbicide applications, prescribed burning, thinning at specified intervals, and other silvicultural practices. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

### *Wildlife Management - General*

The goal is to provide a diversity of habitats suitable for a variety of game and non-game wildlife species. Habitat management will focus on developing a variety of food, cover, water, and space. This will be accomplished by establishing and maintaining access roads and firelanes, providing openings within the forest, and the management of trees located within the Streamside Management Zone

## PROPERTY DESCRIPTION

### *General Property Information*

#### General

This section consists of one full section of land containing 640 acres. It is located approximately three (3) miles west of Laurel. There are several public roads that transect the section and provide access. There are several farm and residential leases located on this section. A large majority of this section becomes very wet during the winter and spring months, which can restrict management activities to the drier parts of the year.

This section is composed of approximately three hundred and eighty-nine (389) forested acres with the remaining two hundred and seventy acres (270) in pasture and residential leases. It is predominately Loblolly Pine plantation ranging from eight (8) to twenty-four (24) years of age. There are no forest management activities scheduled to occur on the non-forested areas.

Approximately thirty-four (34) acres were first thinned in fiscal year 2010. One hundred and twenty-one (121) acres were first thinned in fiscal year 2011.

### *Archeological or Cultural Resources:*

These areas can range from churches, old cemeteries or Indian mounds to old home sites or other areas of historical significance.

No Archeological or Cultural resources were identified during a reconnaissance of the property. However, if Archeological or Cultural resources are discovered anytime on the property special managements measures will be applied immediately in order preserve these sensitive areas.

**MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN**

*Water Resources*

Spring Creek and Joe's Branch are the two primary perennial streams located on this section. These streams along with all other intermittent streams and drains identified on the section will be managed in accordance with Mississippi's Best Management Practices.

*Timber Production*

The goal is to maximize the production of high quality timber. This will be accomplished through the application of timely thinning and other silvicultural practices designed to enhance timber quality and growth. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

*Threatened and Endangered Species*

No threatened and endangered species were identified during the reconnaissance and evaluation of your property.

*Interaction with Surrounding Property*

Prescribed practices should be carried out in a manner that will minimize adverse impacts on surrounding properties. Consideration should be given to potential air, water, visual, and other impacts. In addition, practices carried out should have positive effects on the surrounding community such as improved wildlife habitat and soil stabilization.

*Soils General*

Soils were evaluated on the property to determine the suitability of the site for the proposed activities. Forest practices were planned so as to minimize erosion or other adverse effects on the soil.

## **GENERAL PROPERTY RECOMMENDATIONS**

*Forest Protection*

A healthy vigorously growing stand is the best defense to an attack from a variety of forest insects, plants and pathogens.

**Insects and Diseases**

Trees are subject to attack from insects and diseases. Different insects and diseases affect trees according to the age, species, and condition of the trees. Planted stands of pines and pure stands of hardwoods are particularly susceptible to attack. Since there are many different insects and diseases, no attempt will be made here to explain all of them. The property should be inspected at least annually for possible signs of insect and disease activity. Some things to look for are:

# MISSISSIPPI FORESTRY COMMISSION

## FOREST STEWARDSHIP MANAGEMENT PLAN

- Unseasonable leaf fall
- Discoloration of leaves or needles
- Pitch pockets on pine trees
- Heavy defoliation of hardwood leaves
- Groups of three or more dying trees within a stand

This list does not cover all instances of insect or disease attacks. If anything unusual is noticed, report it to a forester. In most cases, insect and disease problems can be controlled if discovered early.

### Fire Protection

Your forest should be protected from wildfire at all times. The best way to protect your investment is by establishing and maintaining firebreaks around the property. Guidelines for establishment and maintenance of firebreaks may be found in Mississippi Forestry Commission publication #107, *Mississippi's Best Management Practices*.

### Grazing

Tree seedlings should be protected from grazing until such time as the terminal bud of the sapling is beyond reach of livestock. Domestic livestock should be denied access to the tree planting area.

### Boundary Lines

Properly maintained boundary lines are essential to successfully complete all forest management activities. Boundary lines mitigate the possibility of accidental timber theft and encroachment. Boundary lines will be marked with orange paint. The boundary lines will be repainted every six years unless unordinary circumstances require a shorter painting rotation.

**Note:** Some forest practices may cause temporary adverse environmental or aesthetic impacts. These practices will only cause short-term adverse impacts where they are installed. Special efforts will be made to minimize adverse effects when carrying out any of the practices. Examples include: site preparation, planting, prescribed fires, firebreak installation and maintenance, road installation and maintenance, pesticide applications and timber harvesting.

### *Water Quality Protection*

The objective of the landowner is to protect, preserve and enhance all water sources on or transecting the property. This can best be achieved by implementation of Best Management Practices in all aspects of the management of the property.

### *Aesthetics*

The goal is to assure that the property is managed in such a way that is aesthetically pleasing to the landowner as well as the community. Activities such as thinning, prescribed burning and leaving buffer zones around harvested areas may be utilized to enhance the aesthetics of the section.

**MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN**

*Ecological Restoration*

Ecological restoration is the process of assisting the recovery of an ecosystem that has been degraded, damaged, or destroyed. A reconnaissance of the property has been conducted and no ecological restoration activities are recommended at this time.

*Wildlife Mgt. Target Species*

The objective of this practice is to provide habitat best suited for the featured or target species. Habitat management will focus on providing food, cover, water, and space to facilitate the target species.

*Environmental Education*

Environmental educational goals are to provide educational opportunities for children and adults. This may be accomplished by allowing schools within the school district to utilize the sections for different classes where it is applicable. The forestry program at the local junior college could also be allowed to conduct projects on the sections to enhance their educational experience.

*Wildlife Management General*

The goal is to provide a diversity of habitats suited for a variety of game and non-game wildlife species. Habitat management will focus on providing a variety of food, cover, water, and space. This will be accomplished, in part, by establishing and maintaining access roads and firelanes, providing openings within the forest, and leaving mast producing and den trees.

*Timber Management*

Timber management goals for this property are to manage timber resources in such a manner as to maximize timber production throughout the life of the stand.

*Recreation*

According to the landowner objectives the recreational use of this 16th section could prove to be an avenue for generating additional income. This can be accomplished by leasing forested areas for hunting and fishing purposes.

## **SOIL TYPES**

*McLaurin*

The McLaurin component makes up 90 percent of the map unit. Slopes are 2 to 5 percent. This component is on coastal plains. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. Loblolly Site Index = 90. Longleaf Site Index = 72. Slash Site Index = 90.

MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN

*Quitman*

The Quitman component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on coastal plains. The parent material consists of Alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 20 inches during January, February, March. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2w. This soil does not meet hydric criteria. Loblolly Site Index = 92. Slash Site Index = 90.

*Trebloc*

The Trebloc component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on terraces. The parent material consists of silty alluvium deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is rarely flooded. It is not ponded. A seasonal zone of water saturation is at 9 inches during January, February, March, April. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3w. This soil meets hydric criteria. Loblolly Site Index = 95.

*Cahaba*

The Cahaba component makes up 95 percent of the map unit. Slopes are 0 to 2 percent. This component is on coastal plains. The parent material consists of Loamy alluvium-. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is occasionally flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 2w. This soil does not meet hydric criteria. Loblolly Site Index = 87. Slash Site Index = 91.

*Bibb*

The Bibb component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on flood plains. The parent material consists of Stratified Loamy and Sandy Alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is frequently flooded. It is not ponded. A seasonal zone of water saturation is at 9 inches during January, February, March, April, December. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 5w. This soil meets hydric criteria. Loblolly Site Index = 100.

*Savannah*

The Savannah component makes up 90 percent of the map unit. Slopes are 2 to 5 percent. This component is on coastal plains. The parent material consists of loamy alluvium



MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN

deposits. Depth to a root restrictive layer, fragipan, is 16 to 38 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 24 inches during January, February, March. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. Loblolly Site Index = 81.

*Jena*

The Jena component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on coastal plains. The parent material consists of Loamy alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is frequently flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 5w. This soil does not meet hydric criteria. Loblolly Site Index = 100.

*Smithdale*

The Smithdale component makes up 90 percent of the map unit. Slopes are 8 to 15 percent. This component is on coastal plains. The parent material consists of Loamy Alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria. Loblolly Site Index = 86. Longleaf Site Index = 69. Slash Site Index = 85.

## **STRATA**

*Strata 1*

Strata Description

Strata 1: Clear Cut

These stands are classified as clear cut. The stands are currently occupied by kudzu which has been treated annually since fiscal year 2010. The kudzu will be treated until it is eradicated.

Stands: 31

Strata 1 Total Acres: 18.12

MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN

Strata Recommendations

The invasive kudzu that is currently occupying this strata will be treated annually until it is eradicated. The strata will then be planted with Loblolly Pine to ensure that this strata becomes and remains productive.

Activity Recommendations

Invasive Species Control

The kudzu that is currently occupying this strata was treated with four (4) ounces of Escort (metsulfuron methyl) and sixteen (16) ounces of surfactant at a rate of thirty (30) gallons per acre in fiscal years 2011 and 2012. The kudzu has not been completely eradicated at the time this plan was created. The kudzu will require at least two (2) more years of treatment to control. Further treatments may be required before the strata can be reclaimed as productive land. The kudzu will be treated aerially with the prescription described above in the early fall of fiscal year 2013.

Invasive Species Control

The kudzu that is currently occupying this strata was treated with four (4) ounces of Escort (metsulfuron methyl) and sixteen (16) ounces of surfactant at a rate of thirty (30) gallons per acre in fiscal years 2011 and 2012. The kudzu has not been completely eradicated at the time this plan was created. The kudzu will require at least two (2) more years of treatment to control. Further treatments may be required before the strata can be reclaimed as productive land. The kudzu will be treated aerially with the prescription described above in the early fall of fiscal year 2014.

Site Preparation

This strata will be mechanically site prepared by shearing and raking in fiscal year 2017. All brush and logging slash will be piled into wind rows. The wind rows will be formed along the contours of the topography to mitigate any erosion. Care should be taken to prevent the loss of top soil during the operation. Gaps should be left in the wind rows to allow the passage of wildlife.

Regeneration

These stands will be replanted following all site preparation activities in fiscal year 2017. The stands will be planted with Loblolly Pine Seedlings at a rate of 605 trees per acre. This stocking will be accomplished by spacing the seedlings 6 feet by 12 feet. The tree planting should be completed between December 2016 and February 2017.

*Strata 2*

Strata Description

Strata 2: Sawtimber

MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN

These stands are classified as sawtimber and are composed of natural pine that was established around 1988.

Stands: 19, 28

Strata 2 Total Acres: 29.18

#### Strata Recommendations

These stands will be managed to a 35 to 40 year rotation. During this time management activities such as thinnings, mid-rotation release, and prescribed burning will be used to keep the stands at full production and improve wildlife habitat.

#### Activity Recommendations

##### Harvest

These stands will be harvested of all merchantable timber in fiscal year 2016. Timber market conditions will be closely monitored to ensure the proper timing of the timber sale in order to maximize the timber sale revenue.

##### Site Preparation

These stands will be treated with a chemical site preparation in the late summer or early fall following the final harvest. The treatment should be completed several weeks before the first hard frost occurs. This treatment is scheduled to be completed in fiscal year 2017.

##### Regeneration

These stands will be replanted following all site preparation activities in fiscal year 2017. The stands will be planted with Loblolly Pine Seedlings at a rate of 605 trees per acre. This stocking will be accomplished by spacing the seedlings 6 feet by 12 feet. The tree planting should be completed between December 2016 and February 2017.

#### *Strata 3*

##### Strata Description

Strata 3: Pulpwood

These stands are classified as pulpwood and are composed of loblolly pine plantations that were planted in 1995.

Stands: 7, 10, 15

Strata 3 Total Acres: 121.78

MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN

Strata Recommendations

These stands will be managed to a 35 to 40 year rotation. During this time management activities such as thinnings, mid-rotation release, and prescribed burning will be used to keep the stands at full production and improve wildlife habitat.

Activity Recommendations

Harvest

A second thinning is scheduled for the stands in this strata in fiscal year 2018. This harvest operation will focus on improving the stand quality, growth, and vigor. The stands will be thinned by removing stems that display poor growth, poor form, and disease. The target basal area will be seventy-five (75) square feet per acre.

*Strata 4*

Strata Description

Strata 4: Sub-Merchantable

These stands are classified as sub-merchantable and are composed of loblolly pine plantations that were planted in 2004.

Stands: 2, 18, 21, 22, 26, 27, 32, 34

Strata 4 Total Acres: 55.72

Strata Recommendations

These stands will be managed to a 35 to 40 year rotation. During this time management activities such as thinnings, mid-rotation release, and prescribed burning will be used to keep the stands at full production and improve wildlife habitat.

Activity Recommendations

Harvest

A first thinning is scheduled for the stands in this strata in fiscal year 2018. This harvest operation will focus on improving the stand quality, growth, and vigor. The stands will be thinned by removing every fifth row. Stems that display poor growth, poor form, and disease located within the four (4) leave rows will also be removed. The target basal area will be eighty (80) square feet per acre.

*Strata 5*

Strata Description

Strata 5: Pulpwood

These stands are classified as pulpwood and are composed of loblolly pine plantations that were planted in 1990.

MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN

Stands: 1, 3, 6

Strata 5 Total Acres: 39.71

#### Strata Recommendations

These stands will be managed to a 35 to 40 year rotation. During this time management activities such as thinnings, mid-rotation release, and prescribed burning will be used to keep the stands at full production and improve wildlife habitat.

#### Activity Recommendations

##### Harvest

A first thinning is scheduled for stand 1 in this strata in fiscal year 2019. This harvest operation will focus on improving the stand quality, growth, and vigor. The stands will be thinned by removing every fifth row. Stems that display poor growth, poor form, and disease located within the four (4) leave rows will also be removed. The target basal area will be eighty (80) square feet per acre.

Note: Stand 1 was not 1st thinned with the remaining stands in strata 5 because of access issues and the stand's small size. Therefore it will be 1st thinned with the stands in strata 4.

##### Harvest

A second thinning is scheduled for the stands in this strata in fiscal year 2017. This harvest operation will focus on improving the stand quality, growth, and vigor. The stands will be thinned by removing stems that display poor growth, poor form, and disease. The target basal area will be seventy-five (75) square feet per acre.

#### *Strata 6*

##### Strata Description

Strata 6: Sawtimber

These stands are classified as sawtimber and are composed of natural mixed species stands that were established around 1962.

Stands: 5, 8, 9, 11, 12, 13, 14, 16, 17, 20, 25,

Strata 6 Total Acres: 124.81

#### Strata Recommendations

These stands should be maintained in their current health and condition to protect the water quality of the streams and enhance wildlife habitat. Selective harvesting may be completed within these stands during harvesting of adjacent stands, but the integrity of the stands should be maintained.

## **OTHER PLAN ACTIVITIES**

### *Boundary Lines*

#### Line Description

Generally, these lines consist of permanent boundary lines that delineate the sixteenth section boundary. They are usually well established and readily identifiable by a permanent fire lane and a painted line.

#### Line Recommendations

All boundary lines will be repainted on a six (6) year rotation to ensure that they kept in good condition. Unordinary circumstances such as new surveys and timber loss from weather may require the boundary lines to be painted on a shorter rotation.

#### Activity Recommendations

##### Property Activities

This boundary line will be repainted with orange boundary line paint in fiscal year 2013.

##### Property Activities

This boundary line will be repainted with orange boundary line paint in fiscal year 2019.




# Jones County School District

Section 16, Township 8 N, Range 12 W

2012 to 2021

642.21 Acres



(12/06/2011)


0 0.1 0.2 0.3 0.4 Miles

# Property Map Legend







## Property Map Legend: Section 16, Township 8N, Range 12W


### Property

 Property (1)

### Category 1: Stands


-  Pulpwood (6)
-  Sub-Merchantable (8)
-  Sawtimber (13)
-  Clear Cut (1)

### Category 3: Non-Forest Stands


 Non-Forest (6)

## MFC Basemap

### County Boundary

 County Boundary (1)


### Quadrangle Grid

 USGS Quad (1)


### PLS Townships

 PLS Townships (1)

### Survey Districts

 District 5 (1)


### Blockgroup (Census 2000)

 Blockgroup (Census 2000) (2)


### Block (Census 2000)

 Block (Census 2000) (18)


### Tract/BNA (Census 2000)

 Tract/BNA (Census 2000) (1)


### County Roads

 County Roads (16)


### School Sections

 School Sections (1)

### Public School Districts

 JONES COUNTY SCHOOL DISTRICT (1)

### US Congressional District

 US Cong Dist #4 (1)

### MS Senate

 42 (1)

### MS House

 89 (1)

### Perennial Streams

 Perennial Streams (2)


### Intermittent Streams

 Intermittent Streams (4)


### Hydrologic Units (Basins)

 LOWER LEAF RIVER (1)


### Historic Forest Boundary

 Longleaf Pine with Loblolly Pine-Slash Pine (1)

### MS Forest Habitat


 FRAGIPAN LOAM HILLS (1)

### Physiographic Region

 Pine Belt (1)

### Soil Associations

 smithdale-savannah-mclaurin (1)

 trebloc-latonia-osier (1)

### Surface Geology

 CATAHOULA (1)


### MFC Districts

 MFC Districts (1)

### MFC Dispatch Units

 MFC Dispatch Units (1)

### MS Outline

 MS Outline (1)



## Stand Activity Schedule for

16 8N 12W

Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
<b>2013</b>					
1	31	Invasive Species Control, Chemical, Broadcast, Aerial, Kudzu	18	\$1,800.00	\$0.00
Yearly Totals			18	\$1,800.00	\$0.00
<b>2014</b>					
1	31	Invasive Species Control, Chemical, Broadcast, Aerial, Kudzu	18	\$1,800.00	\$0.00
Yearly Totals			18	\$1,800.00	\$0.00
<b>2016</b>					
2	19	Harvest, Mechanical, Regeneration, Machine, Loblolly	4	\$140.00	\$6,239.04
2	28	Harvest, Mechanical, Regeneration, Machine, Loblolly	25	\$875.00	\$38,994.00
Yearly Totals			29	\$1,015.00	\$45,233.04
<b>2017</b>					
1	31	Regeneration, Artificial, Plant, Machine, Loblolly	18	\$2,430.00	\$0.00
1	31	Site Preparation, Mechanical, Shear/Rake, Machine, Brush	18	\$6,300.00	\$0.00
2	19	Regeneration, Artificial, Plant, Machine, Loblolly	4	\$540.00	\$0.00
2	19	Site Preparation, Chemical, Broadcast, Aerial, Combination	4	\$380.00	\$0.00
2	28	Regeneration, Artificial, Plant, Machine, Loblolly	25	\$3,375.00	\$0.00
2	28	Site Preparation, Chemical, Broadcast, Aerial, Combination	25	\$2,375.00	\$0.00
5	3	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	11	\$385.00	\$5,768.84
5	6	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	23	\$805.00	\$12,347.32
Yearly Totals			128	\$16,590.00	\$18,116.16
<b>2018</b>					
3	7	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	37	\$1,294.30	\$12,943.00

Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
3	10	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	30	\$1,037.05	\$10,370.50
3	15	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	55	\$1,925.00	\$19,250.00
4	2	Harvest, Mechanical, 1st Thin, Machine, Loblolly	12	\$410.90	\$3,052.40
4	18	Harvest, Mechanical, 1st Thin, Machine, Loblolly	23	\$814.80	\$6,052.80
4	21	Harvest, Mechanical, 1st Thin, Machine, Loblolly	7	\$249.90	\$1,856.40
4	22	Harvest, Mechanical, 1st Thin, Machine, Loblolly	2	\$64.05	\$475.80
4	26	Harvest, Mechanical, 1st Thin, Machine, Loblolly	6	\$210.00	\$1,560.00
4	27	Harvest, Mechanical, 1st Thin, Machine, Loblolly	3	\$112.35	\$834.60
4	32	Harvest, Mechanical, 1st Thin, Machine, Loblolly	1	\$49.70	\$369.20
4	34	Harvest, Mechanical, 1st Thin, Machine, Loblolly	1	\$47.60	\$353.60
5	1	Harvest, Mechanical, 1st Thin, Machine, Loblolly	6	\$210.00	\$2,606.64
<b>Yearly Totals</b>			<b>184</b>	<b>\$6,425.65</b>	<b>\$59,724.94</b>
<b>Grand Totals</b>			<b>377</b>	<b>\$27,630.65</b>	<b>\$123,074.14</b>