



Vision • Commitment • Pride

FOREST STEWARDSHIP MANAGEMENT PLAN

Prepared For:
Lawrence Board of Education

Prepared By:
Steven J. Williams
M.F.C.

Time Period Covered by This Plan:
2012 - 2021

Date Plan Prepared:
2012-01-24

Plan Type:
Stewardship / Stewardship

This plan was developed in accordance with the rules of the Stewardship program.

Property Name: S16 T7N R20W

TABLE OF CONTENTS

LANDOWNER INFORMATION	3
FORESTER INFORMATION	3
DISCLAIMER	3
INTRODUCTION	3
OBJECTIVES	4
PROPERTY DESCRIPTION	4
GENERAL PROPERTY RECOMMENDATIONS	5
SOIL TYPES	7
STANDS	8
OTHER PLAN ACTIVITIES	15
PLAN MAP	17
PLAN MAP	18
STAND ACTIVITY SCHEDULE	19

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

LANDOWNER INFORMATION

Organization: Lawrence Board of Education
Name: Lawrence Board of Education
Mailing Address: 346 Thomas E.
Jolly Dr.
City, State, Zip: Monticello, MS 39654
Country: United States of America
Contact Numbers: Home Number:
Office Number: 601-587-2506
Fax Number:
E-mail Address:
Social Security Number (optional):

FORESTER INFORMATION

Name: Steven J. Williams , Service Forester
Forester Number: 02085
Organization: M.F.C.
Street Address: P.O. Box 374
City, State, Zip: Monticello, MS 39654
Contact Numbers: Office Number: 601-587-7515
Fax Number:
E-mail Address:

PROPERTY LOCATION

County: Lawrence Total Acres: 634 Latitude: -90.02 Longitude: 31.57
Section: 16 Township: 7N Range: 20W

DISCLAIMER

This information was derived from a small sampling of the forest resources. It reflects a statistical estimation that is only intended to be accurate enough for the purposes of making decisions for the short-term management of these resources. These estimations are temporally static. Events and circumstances may occur within the survey area that will physically alter the forest resources and therefore will not be reflected in this plan.

INTRODUCTION

This Forest Stewardship Management Plan will serve as a guide for accomplishing the goals and objectives for your property. In addition to addressing your specific goals and objectives, this plan includes recommendations for maintaining soil and water quality and protecting your forest from insects, disease, and wildfire. Recommendations are based on observation and assessment of the site.

OBJECTIVES

Timber Production

The goal is to produce high quality sawtimber. This will be accomplished through reforestation and timber stand improvement practices such as herbicide applications, prescribed burning, thinning at specified intervals, and other silvicultural practices. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

Wildlife Management - General

The goal is to provide a diversity of habitats suitable for a variety of game and non-game wildlife species. Habitat management will focus on developing a variety of food, cover, water, and space. This will be accomplished by establishing and maintaining access roads and firelanes, providing openings within the forest, and the management of trees located within the Streamside Management Zone.

PROPERTY DESCRIPTION

General Property Information

This is a 634 acre school section located in the Silver Creek community of Lawrence county.

Archeological and Cultural Resources

These areas can range from churches, old cemeteries or Indian mounds to old home sites or other areas of historical significance.

No Archeological or Cultural resources were identified during a reconnaissance of the property. However, if Archeological or Cultural resources are discovered anytime on the property special management measures will be applied immediately in order to preserve these sensitive areas.

Water Resources

No perennial water resources were identified during a reconnaissance of the property. However, intermittent streams and drains identified will be managed in accordance with Mississippi's Best Management Practices.

Timber Production

The goal is to maximize the production of high quality timber. This will be accomplished through the application of timely thinning and other silvicultural practices designed to enhance timber quality and growth. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Threatened and Endangered Species

No threatened and endangered species were identified during the reconnaissance and evaluation of your property.

Interaction with Surrounding Property

Prescribed practices should be carried out in a manner that will minimize adverse impacts on surrounding properties. Consideration should be given to potential air, water, visual, and other impacts. In addition, practices carried out should have positive effects on the surrounding community such as improved wildlife habitat and soil stabilization.

Soils General

Soils were evaluated on the property to determine the suitability of the site for the proposed activities. Forest practices were planned so as to minimize erosion or other adverse effects on the soil. The following soils are identified for this property:

GENERAL PROPERTY RECOMMENDATIONS

Forest Protection

A healthy vigorous growing stand is the best defense to an attack from a variety of forest insects, plants and pathogens.

Insects and Diseases

Trees are subject to attack from insects and diseases. Different insects and diseases affect trees according to the age, species, and condition of the trees. Planted stands of pines and pure stands of hardwoods are particularly susceptible to attack. Since there are many different insects and diseases, no attempt will be made here to explain all of them. The property should be inspected at least annually for possible signs of insect and disease activity. Some things to look for are:

- Unseasonable leaf fall
- Discoloration of leaves or needles
- Pitch pockets on pine trees
- Heavy defoliation of hardwood leaves
- Groups of three or more dying trees within a stand

This list does not cover all instances of insect or disease attacks. If anything unusual is noticed, report it to a forester. In most cases, insect and disease problems can be controlled if discovered early.

Fire Protection

Your forest should be protected from wildfire at all times. The best way to protect your investment is by establishing and maintaining firebreaks around the property. Guidelines for establishment and maintenance of firebreaks may be found in Mississippi Forestry Commission publication #107, *Mississippi's Best Management Practices* .

Grazing

Tree seedlings should be protected from grazing until such time as the terminal bud of the sapling is beyond reach of livestock. Domestic livestock should be denied access to the tree planting area.

Boundary Lines

It is the responsibility of the landowner to ensure that all property lines and boundaries designating areas to receive forestry work are clearly identified and visible to all contractors.

Note: Some forest practices may cause temporary adverse environmental or aesthetic impacts. These practices will only cause short-term adverse impacts where they are installed. Special efforts will be made to minimize adverse effects when carrying out any of the practices. Examples include: site preparation, planting, prescribed fires, firebreak installation and maintenance, road installation and maintenance, pesticide applications and timber harvesting.

Water Quality Protection

The objective of the landowner is to protect, preserve and enhance all water sources on or transecting the property. This can best be achieved by implementation of Best Management Practices in all aspects of the management of the property.

Aesthetics

The goal is to assure that the property is managed in such a way that is aesthetically pleasing to the landowner as well as the community. Activities could include, maintaining buffer strips along the road and adjacent to the home site, planting wildflowers along the road, and trees with attractive fall and spring color along the drive and near the home site.

Ecological Restoration

Ecological restoration is the process of assisting the recovery of an ecosystem that has been degraded, damaged, or destroyed. A reconnaissance of the property has been conducted and no ecological restoration activities are recommended at this time.

Wildlife Mgt. Target Species

The objective of this practice is to provide habitat best suited for the featured or target species. Habitat management will focus on providing food, cover, water, and space to facilitate the target species.

Environmental Education

Environmental educational goals are to provide educational opportunities for children and adults through the development of items such as nature trails with tree identification markers, wildlife viewing areas, picnic areas, parking, public restroom facilities.

Wildlife Management General

The goal is to provide a diversity of habitats suited for a variety of game and non-game wildlife species. Habitat management will focus on providing a variety of food, cover, water, and space. This will be accomplished, in part, by establishing and maintaining

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

access roads and firelanes, providing openings within the forest, and leaving mast producing and den trees.

Timber Management

Timber management goals for this property are to manage timber resources in such a manner as to maximize timber production throughout the life of the stand.

Recreation

According to landowner objectives the recreational use of the property could prove to be an avenue for personal enjoyment or for generating income. An evaluation of your property should be conducted and a plan developed to accomplish your specific goals for recreational activities on your property.

SOIL TYPES

Ruston(smithdale)

The Ruston(smithdale) component makes up 90 percent of the map unit. Slopes are 8 to 12 percent. This component is on hillslopes. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria. Loblolly Site Index = 86. Longleaf Site Index = 69. Slash Site Index = 85.

Cadeville

The Cadeville component makes up 63 percent of the map unit. Slopes are 20 to 30 percent. This component is on coastal plains. The parent material consists of clayey fluviomarine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches is high. Shrink-swell potential is high. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 3 percent. Nonirrigated land capability classification is 7e. This soil does not meet hydric criteria. The Freestone component makes up 15 percent of the map unit. Slopes are 5 to 8 percent. This component is on terraces. The parent material consists of loamy over clayey alluvium deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is high. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 24 inches during January, February, March, April. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 3e. This soil does not meet hydric criteria.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Smithdale

The Smithdale component makes up 90 percent of the map unit. Slopes are 15 to 30 percent. This component is on hillslopes. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 7e. This soil does not meet hydric criteria. Loblolly Site Index = 86. Longleaf Site Index = 69. Slash Site Index = 85.

Saffell

The Saffell component makes up 90 percent of the map unit. Slopes are 12 to 17 percent. This component is on hillslopes on hills. The parent material consists of gravelly alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria. Loblolly Site Index = 67.

Providence

The Providence component makes up 90 percent of the map unit. Slopes are 2 to 5 percent. This component is on uplands. The parent material consists of silty loess over sandy marine deposits. Depth to a root restrictive layer, fragipan, is 18 to 38 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 18 inches during January, February, March. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. Loblolly Site Index = 87. Longleaf Site Index = 73.

Jena

The Jena component makes up 57 percent of the map unit. Slopes are 0 to 2 percent. This component is on natural levees. The parent material consists of loamy alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is frequently flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 5w. This soil does not meet hydric criteria. Generated brief soil descriptions are created for major components. The Alaga soil is a minor component.

STANDS

Stand Pulpwood (S#13)

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

Stand Description

This is a 15 - 18 year old stand of loblolly pine, that has been thinned one time consisting of 32 acres.

Stand Recommendations

This stand will be managed as a pine stand on a 35 to 40 year rotation, and will be regenerated back into pine following the final harvest.

Activity Recommendations

Vegetation Control

A mid rotation herbicide brush control application should be performed in the year 2014.

Ground Application of Herbicide - A mid rotation herbicide spray in the form of a ground application should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommendation rates and specifications. A herbicide representative should be contacted to write a rate and application method recommendation.

Harvest

This stand will need to be thinned in the year 2018. A mechanical corridor thin will be used, with the remaining basal area around 70.

Stand Chip-n-Saw (S#20)

Stand Description

This is a 18 year old stand that has been thinned twice consisting of 4 acres.

Stand Recommendations

This stand will be managed as a pine stand on a 35 to 40 year rotation, and will be regenerated back into pine following the final harvest.

Activity Recommendations

Vegetation Control

A mid rotation herbicide brush control application should be performed in the year 2014.

Ground Application of Herbicide - A mid rotation herbicide spray in the form of a ground application should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommendation rates and specifications. A herbicide representative should be contacted to write a rate and application method recommendation.

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

Harvest

A second thinning should be done in year 2012.

Stand Chip-n-Saw (S#25)

Stand Description

This is a 18 year old stand that has been thinned twice consisting of 2 acres.

Stand Recommendations

This stand will be managed as a pine stand on a 35 to 40 year rotation, and will be regenerated back into pine following the final harvest.

Activity Recommendations

Vegetation Control

A mid rotation herbicide brush control application should be performed in the year 2014.

Ground Application of Herbicide - A mid rotation herbicide spray in the form of a ground application should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommendation rates and specifications. A herbicide representative should be contacted to write a rate and application method recommendation.

Harvest

This stand is scheduled for a thinning in 2012.

Stand Chip-n-Saw (S#26)

Stand Description

This is a 18 year old stand that has been thinned twice consisting of 5 acres.

Stand Recommendations

This stand will be managed as a pine stand on a 35 to 40 year rotation, and will be regenerated back into pine following the final harvest.

Activity Recommendations

Vegetation Control

A mid rotation herbicide brush control application should be performed in the year 2014.

Ground Application of Herbicide - A mid rotation herbicide spray in the form of a ground application should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommendation rates and

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

specifications. A herbicide representative should be contacted to write a rate and application method recommendation.

Harvest

A second thinning should be done in year 2012.

Stand Chip-n-Saw (S#27)

Stand Description

This is a 18 year old stand that has been thinned twice consisting of 21 acres.

Stand Recommendations

This stand will be managed as a pine stand on a 35 to 40 year rotation, and will be regenerated back into pine following the final harvest.

Activity Recommendations

Harvest

This stand is scheduled for a thinning in 2012.

Vegetation Control

A mid rotation herbicide brush control application should be performed in the year 2011.

Ground Application of Herbicide - A mid rotation herbicide spray in the form of a ground application should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommendation rates and specifications. A herbicide representative should be contacted to write a rate and application method recommendation.

Stand Sawtimber (S # 28)

Stand Description

This is a natural stand of pine sawtimber that is over 40 years old consisting of 5 acres.

Stand Recommendations

This stand will be managed as a pine stand on a 35 to 40 year rotation, and will be regenerated back into pine following the final harvest.

Activity Recommendations

Harvest

This stand is scheduled for a regeneration cut in 2012.

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

Regeneration

Planting - Following site preparation, the area should be planted with genetically improved containerized loblolly pine. Seedlings will be planted at a rate of 544 trees per acre at a spacing of 8 X10 feet. A deviation from the recommended planting rates will be limited to plus or minus 40 trees per acre. Planting should be done between December and March. Adverse weather conditions such as prolonged dry or cold periods should be taken into consideration when planting.

Site Preparation

Aerial Application of Herbicide - Site preparation in the form of an aerial application of a herbicide should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommendation rates and specifications. A herbicide representative should be contacted to write a rate.

Stand Sawtimber (S#34)

Stand Description

This is a natural stand of pine sawtimber that is over 40 years old consisting of 120 acres.

Stand Recommendations

This stand will be managed as a pine stand on a 35 to 40 year rotation, and will be regenerated back into pine following the final harvest.

Activity Recommendations

Harvest

This stand is scheduled for a regeneration cut in 2016.

Site Preparation

Aerial Application of Herbicide - During the summer prior to planting, site preparation in the form of an aerial application of a herbicide should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommended rates and specifications. A herbicide representative should be contacted to write a rate and application method recommendation.

Regeneration

Planting - Following site preparation, the area should be planted with genetically improved containerized loblolly pine. Seedlings will be planted at a rate of 544 trees per acre at a spacing of 8 X10 feet. A deviation from the recommended planting rates will be limited to plus or minus 40 trees per acre. Planting should be done between December and March. Adverse weather conditions such as prolonged dry or cold periods should be taken into consideration when planting.

Stand Reproduction (S#40)

Stand Description

This is a planted pine plantation along with naturally seeded stand consisting of 67 acres.

Stand Recommendations

This stand will be managed as a pine stand on a 35 to 40 year rotation, and will be regenerated back into pine following the final harvest.

Activity Recommendations

Technical

Evaluate for thinning around year 2016.

Stand Sawtimber (S#42)

Stand Description

This is a natural stand of pine sawtimber that is over 40 years old consisting of 84 acres.

Stand Recommendations

This stand will be managed as a pine stand on a 35 to 40 year rotation, and will be regenerated back into pine following the final harvest.

Activity Recommendations

Harvest

This stand is scheduled for a regeneration cut in 2017.

Regeneration

Planting - Following site preparation, the area should be planted with genetically improved containerized loblolly pine. Seedlings will be planted at a rate of 544 trees per acre at a spacing of 8 X10 feet. A deviation from the recommended planting rates will be limited to plus or minus 40 trees per acre. Planting should be done between December and March. Adverse weather conditions such as prolonged dry or cold periods should be taken into consideration when planting.

Site Preparation

Aerial Application of Herbicide - During the summer prior to planting, site preparation in the form of an aerial application of a herbicide should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommended rates and specifications. A herbicide representative should be contacted to write a rate and application method recommendation.

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

Stand Sawtimber (S#43)

Stand Description

This is a mature stand of pine sawtimber consisting of 96 acres.

Stand Recommendations

This stand will be managed as a pine stand on a 35 to 40 year rotation, and will be regenerated back into pine following the final harvest.

Activity Recommendations

Harvest

This stand is scheduled for a regeneration cut in 2018.

Regeneration

Planting - Following site preparation, the area should be planted with genetically improved containerized loblolly pine. Seedlings will be planted at a rate of 544 trees per acre at a spacing of 8 X10 feet. A deviation from the recommended planting rates will be limited to plus or minus 40 trees per acre. Planting should be done between December and March. Adverse weather conditions such as prolonged dry or cold periods should be taken into consideration when planting.

Site Preparation

Aerial Application of Herbicide - During the summer prior to planting, site preparation in the form of an aerial application of a herbicide should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommended rates and specifications. A herbicide representative should be contacted to write a rate and application method recommendation.

Stand Sawtimber (S#44)

Stand Description

This is a natural stand of pine sawtimber that is over 40 years old consisting of 77 acres.

Stand Recommendations

This stand will be managed as a pine stand on a 35 to 40 year rotation, and will be regenerated back into pine following the final harvest.

Activity Recommendations

Harvest

This stand is scheduled for a regeneration cut in 2012.

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

Site Preparation

Aerial Application of Herbicide - During the summer prior to planting, site preparation in the form of an aerial application of a herbicide should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommended rates and specifications. A herbicide representative should be contacted to write a rate and application method recommendation.

Regeneration

Planting - Following site preparation, the area should be planted with genetically improved containerized loblolly pine. Seedlings will be planted at a rate of 544 trees per acre at a spacing of 8 X10 feet. A deviation from the recommended planting rates will be limited to plus or minus 40 trees per acre. Planting should be done between December and March. Adverse weather conditions such as prolonged dry or cold periods should be taken into consideration when planting.

Stand Sawtimber (S#45)

Stand Description

This is a natural stand of pine sawtimber that is over 40 years old consisting of 118 acres.

Stand Recommendations

This stand will be managed as a pine stand on a 35 to 40 year rotation, and will be regenerated back into pine following the final harvest.

Activity Recommendations

Harvest

This stand is scheduled for a regeneration cut in 2021.

OTHER PLAN ACTIVITIES

Boundary Lines

Line Description

Boundary lines have been established and are painted in orange paint.

Line Recommendations

Boundary lines should be repainted every four years.

Activity Recommendations

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Property Activities

Routine inspections and general maintenance of the roads, firelanes, and boundary lines will ensure overall appearance and aesthetics of the property.

Plan map




Lawrence Cty BOE

S16 T7N R20W Silver Creek
2012 to 2021
634.37 Acres



(02/03/2012)





Legend 16-7-20

Property

- Property (1)

Category 1: Stands

- Chip-n-Saw (4)
- Sawtimber (6)
- Pulpwood (1)
- Reproduction (1)

Category 3: Non-Forest Stands

- Non-Forest (5)

Property Roads/Trails

- Logging Road (1)

Management Compartment

- Harvest (4)

Transportation (Lines)

- US Highway (1)

MFC Basemap

County Boundary

- County Boundary (1)

Quadrangle Grid

- USGS Quad (1)

PLS Townships

- PLS Townships (1)

Survey Districts

- District 5 (1)

Blockgroup (Census 2000)

- Blockgroup (Census 2000) (1)

Block (Census 2000)

- Block (Census 2000) (2)

Tract/BNA (Census 2000)

- Tract/BNA (Census 2000) (1)

County Roads

- County Roads (2)

School Sections

- School Sections (1)

Public School Districts

- LAWRENCE COUNTY SCHOOL DIST (1)

US Congressional District

- US Cong Dist #3 (1)

MS Senate

- 39 (1)

MS House

- 91 (1)

Intermittent Streams

- Intermittent Streams (1)

Hydrologic Units (Basins)

- MIDDLE PEARL RIVER (1)

Historic Forest Boundary

- Longleaf Pine with Loblolly Pine-Slash Pine (1)

MS Forest Habitat

- SOUTHERN LOAM HILLS-RUGGED TOPOGRAPHY (1)

Physiographic Region

- SOUTH CENTRAL HILLS (1)

Soil Associations

- providence-smithdale-saffell (1)
- jena-mantachie-kirkville (1)

Surface Geology

- PASCAGOULA/HATTIESBURG (1)

MFC Districts

- MFC Districts (1)

MFC Dispatch Units

- MFC Dispatch Units (1)

MS Outline

- MS Outline (1)

Stand Activity Summary for
Lawrence Board of Education
16 7N 20W

Filters Applied: County: Lawrence
 Client Class: School Trust Land
 District: Southwest District
 Client: Lawrence Board of Educat
 STR: 16 7N 20W
 Activity:
 Year: 2012 Through 2021

STR	Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
2012						
16 7N 20W	1	44	Harvest, Mechanical, Final, Machine, Loblolly	77	\$2,310.00	\$98,883.40
16 7N 20W	2	20	Harvest, Mechanical, Thin, Machine, Loblolly	4	\$67.20	\$1,018.68
16 7N 20W	2	25	Harvest, Mechanical, Thin, Machine, Loblolly	2	\$40.78	\$618.10
16 7N 20W	2	26	Harvest, Mechanical, Thin, Machine, Loblolly	5	\$82.08	\$1,244.16
16 7N 20W	2	27	Harvest, Mechanical, Thin, Machine, Loblolly	21	\$499.80	\$8,811.60
Yearly Totals				109	\$2,999.85	\$110,575.94
2013						
16 7N 20W	1	44	Site Preparation, Chemical, Broadcast, Aerial, Combination	77	\$7,700.00	\$0.00
Yearly Totals				77	\$7,700.00	\$0.00
2014						
16 7N 20W	1	44	Regeneration, Artificial, Plant, Hand, Loblolly	77	\$17,325.00	\$0.00
16 7N 20W	2	20	Vegetation Control, Chemical, MRVM (Mid Rotation Vegetative Mgmt), Machine, Woc	4	\$360.00	\$0.00
16 7N 20W	2	25	Vegetation Control, Chemical, MRVM (Mid Rotation Vegetative Mgmt), Machine, Woc	2	\$209.70	\$0.00
16 7N 20W	2	26	Vegetation Control, Chemical, MRVM (Mid Rotation Vegetative Mgmt), Machine, Woc	5	\$422.10	\$0.00
16 7N 20W	2	27	Vegetation Control, Chemical, MRVM (Mid Rotation Vegetative Mgmt), Machine, Woc	21	\$1,890.00	\$0.00
16 7N 20W	3	13	Vegetation Control, Chemical, MRVM (Mid Rotation Vegetative Mgmt), Machine, Woc	32	\$2,720.00	\$0.00
Yearly Totals				141	\$22,926.80	\$0.00
2016						

STR	Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
16 7N 20W	0	40	Technical, Establish, Cruise, Hand, Inventory	67	\$134.00	\$0.00
16 7N 20W	1	28	Harvest, Mechanical, Final, Machine, Loblolly	5	\$300.00	\$9,373.50
16 7N 20W	1	34	Harvest, Mechanical, Final, Machine, Loblolly	120	\$3,600.00	\$154,903.20
Yearly Totals				192	\$4,034.00	\$164,276.70

2017

16 7N 20W	1	28	Site Preparation, Chemical, Broadcast, Aerial, Woody	5	\$500.00	\$0.00
16 7N 20W	1	34	Site Preparation, Chemical, Broadcast, Aerial, Combination	120	\$12,000.00	\$0.00
16 7N 20W	1	42	Harvest, Mechanical, Final, Machine, Loblolly	84	\$2,512.80	\$110,395.68
16 7N 20W	3	13	Harvest, Mechanical, Thin, Machine, Loblolly	32	\$800.00	\$5,890.56
Yearly Totals				241	\$15,812.80	\$116,286.24

2018

16 7N 20W	1	28	Regeneration, Artificial, Plant, Hand, Loblolly	5	\$575.00	\$0.00
16 7N 20W	1	34	Regeneration, Artificial, Plant, Hand, Loblolly	120	\$15,000.00	\$0.00
16 7N 20W	1	42	Site Preparation, Chemical, Broadcast, Aerial, Combination	84	\$8,400.00	\$0.00
16 7N 20W	1	43	Harvest, Mechanical, Final, Machine, Loblolly	96	\$2,880.00	\$126,528.00
Yearly Totals				305	\$26,855.00	\$126,528.00

2019

16 7N 20W	1	42	Regeneration, Artificial, Plant, Hand, Loblolly	84	\$10,500.00	\$0.00
16 7N 20W	1	43	Site Preparation, Chemical, Broadcast, Aerial, Combination	96	\$9,600.00	\$0.00
Yearly Totals				180	\$20,100.00	\$0.00

2020

16 7N 20W	1	43	Regeneration, Artificial, Plant, Hand, Loblolly	96	\$12,000.00	\$0.00
Yearly Totals				96	\$12,000.00	\$0.00

2021

STR	Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue	
16 7N 20W	1	45	Harvest, Mechanical, Final, Machine, Loblolly	118	\$3,540.00	\$151,535.60	
				Yearly Totals	118	\$3,540.00	\$151,535.60
				Grand Totals	1.459	\$115,968.45	\$669,202.48