



Vision • Commitment • Pride

FOREST STEWARDSHIP MANAGEMENT PLAN

Prepared For:
Leake County BOE

Prepared By:
Howard Wayne Ornsbey
MS Forestry Commission

Time Period Covered by This Plan:
2012 - 2021

Date Plan Prepared:
2012-02-13

Plan Type:
Stewardship / Stewardship

This plan was developed in accordance with the rules of the Stewardship program.

Property Name: Section 16 Township 09 North Range 08 East

TABLE OF CONTENTS

LANDOWNER INFORMATION	3
FORESTER INFORMATION	3
INTRODUCTION	3
DISCLAIMER	3
OBJECTIVES	4
PROPERTY DESCRIPTION	4
GENERAL PROPERTY RECOMMENDATIONS	5
SOIL TYPES	7
STRATA	7
OTHER PLAN ACTIVITIES	14
PLAN MAP	16
PLAN MAP	17
STRATA ACTIVITY SCHEDULE	18

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

LANDOWNER INFORMATION

Name: Leake County BOE
Mailing Address: P.O. Box 478
City, State, Zip: Carthage, MS 39051
Country: United States of America
Contact Numbers: Home Number:
Office Number: 601-267-4579
Fax Number: 601-267-5283
E-mail Address:
Social Security Number (optional):

FORESTER INFORMATION

Name: Howard Wayne Ornsbey , Service Forester
Forester Number: 01820
Organization: MS Forestry Commission
Street Address: PO Box 24
City, State, Zip: Carthage, MS 39051
Contact Numbers: Office Number: 601-267-9357
Fax Number: 601-267-9357
E-mail Address: wornsbey@mfc.state.ms.us

PROPERTY LOCATION

County: Leake Total Acres: 640 Latitude: -89.48 Longitude: 32.63
Section: 16 Township: 9N Range: 8E

INTRODUCTION

This Forest Stewardship Management Plan will serve as a guide for accomplishing the goals and objectives for your property. In addition to addressing your specific goals and objectives, this plan includes recommendations for maintaining soil and water quality and protecting your forest from insects, disease, and wildfire. Recommendations are based on observation and assessment of the site.

DISCLAIMER

This information was derived from a small sampling of the forest resources. It reflects a statistical estimation that is only intended to be accurate enough for the purposes of making decisions for the short-term management of these resources. These estimations are temporally static. Events and circumstances may occur within the survey area that will physically alter the forest resources and therefore will not be reflected in this plan.

OBJECTIVES

Timber Production

The goal is to produce high quality sawtimber. This will be accomplished through reforestation and timber stand improvement practices such as herbicide applications, prescribed burning, thinning at specified intervals, and other silvicultural practices. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

Water Quality

Streamside management zones have or will be established along the stream and a protective vegetative zone maintained along the perimeter. Water diversions will be installed and maintained where needed on access roads to prevent erosion.

Wildlife Management - General

The goal is to provide a diversity of habitats suitable for a variety of game and non-game wildlife species. Habitat management will focus on developing a variety of food, cover, water, and space. This will be accomplished by establishing and maintaining access roads and firelanes, providing openings within the forest, and the management of trees located within the Streamside Management Zone.

PROPERTY DESCRIPTION

General Property Information

The property is located in the Southern part of Leake County along Mississippi Highway 35, Hughes Lane and Starling Center Road. This property is 640 acres. The major stand type is Loblolly Pine. There is 29 acres of improved loblolly pine reproduction, 139 acres of pulpwood, 177 acres of chip-n-saw, 95 acres of sawtimber, and 200 acres of this tract is open.

Archeological or Cultural Resources

Archeological or Cultural Resources

These areas can range from churches, old cemeteries or Indian mounds to old home sites or other areas of historical significance.

No Archeological or Cultural resources were identified during a reconnaissance of the property. However, if Archeological or Cultural resources are discovered anytime on the property special managements measures will be applied immediately in order preserve these sensitive areas.

Water Resources

No perennial water resources were identified during a reconnaissance of the property. However, intermittent streams and drains identified will be managed in accordance with Mississippi's Best Management Practices.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Timber Production

The goal is to maximize the production of high quality timber. This will be accomplished through the application of timely thinning and other silvicultural practices designed to enhance timber quality and growth. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

Threatened and Endangered Species

No threatened and endangered species were identified during the reconnaissance and evaluation of your property.

Interaction with Surrounding Property

Prescribed practices should be carried out in a manner that will minimize adverse impacts on surrounding properties. Consideration should be given to potential air, water, visual, and other impacts. In addition, practices carried out should have positive effects on the surrounding community such as improved wildlife habitat and soil stabilization.

Soils General

Soils were evaluated on the property to determine the suitability of the site for the proposed activities. Forest practices were planned so as to minimize erosion or other adverse effects on the soil. The following soils are identified for this property: Ora, Ruston, and Smithdale.

GENERAL PROPERTY RECOMMENDATIONS

Forest Protection

A healthy vigorously growing stand is the best defense to an attack from a variety of forest insects, plants and pathogens.

Insects and Diseases

Trees are subject to attack from insects and diseases. Different insects and diseases affect trees according to the age, species, and condition of the trees. Planted stands of pines and pure stands of hardwoods are particularly susceptible to attack. Since there are many different insects and diseases, no attempt will be made here to explain all of them. The property should be inspected at least annually for possible signs of insect and disease activity. Some things to look for are:

- Unseasonable leaf fall
- Discoloration of leaves or needles
- Pitch pockets on pine trees
- Heavy defoliation of hardwood leaves
- Groups of three or more dying trees within a stand

This list does not cover all instances of insect or disease attacks. If anything unusual is noticed, report it to a forester. In most cases, insect and disease problems can be controlled if discovered early.

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

Fire Protection

Your forest should be protected from wildfire at all times. The best way to protect your investment is by establishing and maintaining firebreaks around the property. Guidelines for establishment and maintenance of firebreaks may be found in Mississippi Forestry Commission publication #107, *Mississippi's Best Management Practices*.

Grazing

Tree seedlings should be protected from grazing until such time as the terminal bud of the sapling is beyond reach of livestock. Domestic livestock should be denied access to the tree planting area.

Boundary Lines

It is the responsibility of the landowner to ensure that all property lines and boundaries designating areas to receive forestry work are clearly identified and visible to all contractors.

Note: Some forest practices may cause temporary adverse environmental or aesthetic impacts. These practices will only cause short-term adverse impacts where they are installed. Special efforts will be made to minimize adverse effects when carrying out any of the practices. Examples include: site preparation, planting, prescribed fires, firebreak installation and maintenance, road installation and maintenance, pesticide applications and timber harvesting.

Water Quality Protection

The objective of the landowner is to protect, preserve and enhance all water sources on or transecting the property. This can best be achieved by implementation of Best Management Practices in all aspects of the management of the property.

Aesthetics

The goal is to assure that the property is managed in such a way that is aesthetically pleasing to the landowner as well as the community. Activities could include, maintaining buffer strips along the road and adjacent to the home site, planting wildflowers along the road, and trees with attractive fall and spring color along the drive and near the home site.

Wildlife Management General

The goal is to provide a diversity of habitats suited for a variety of game and non-game wildlife species. Habitat management will focus on providing a variety of food, cover, water, and space. This will be accomplished, in part, by establishing and maintaining access roads and firelanes, providing openings within the forest, and leaving mast producing and den trees.

Timber Management

Timber management goals for this property are to manage timber resources in such a manner as to maximize timber production throughout the life of the stand.

SOIL TYPES

Ruston

The Ruston component makes up 100 percent of the map unit. Slopes are 5 to 8 percent. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3e. This soil does not meet hydric criteria. Loblolly Site Index = 84.

Ora

The Ora component makes up 85 percent of the map unit. Slopes are 2 to 5 percent. Depth to a root restrictive layer, fragipan, is 18 to 42 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 33 inches during February, March, April. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. Loblolly Site Index = 83.

Smithdale

The Smithdale component makes up 100 percent of the map unit. Slopes are 8 to 12 percent. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria. Loblolly Site Index = 80.

STRATA

Strata 1: Stand 14

Strata Description

Seed Tree Area

Acres 156

This stand is a uneven natural regeneration area with seed trees still present. Pine sawtimber basal areas varies widely across the strata from 200 to less than 50 square feet per acre.

Strata Recommendations

In order to produce high quality sawtimber a regeneration harvest should be conducted on this strata. The harvest will occur in the years 2013, 2016, 2019. This will followed by site preparation, prescribe burn, and regeneration. Then in order to produce high quality sawtimber the stand should be managed on a thirty-five-year rotation. At the end

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

of thirty-five-years the stand will have a final harvest done on it followed by site prep and artificial regeneration to Loblolly Pine.

Activity Recommendations

Harvest

In order to enhance the productivity of this site, a regeneration harvest should be conducted followed by regeneration with more desirable tree species. In a regeneration harvest, all merchantable timber is cut from the site and the site is either planted or site prepared for natural regeneration. The regeneration harvest's will occur in the year 2013, 2016 and 2019.

Site Preparation

Aerial Application of Herbicide - Site preparation in the form of an aerial application of a herbicide should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommendation rates and specifications. A herbicide representative should be contacted to write a rate and application method recommendation. This will occur after the regeneration harvest and adequate sprouting has occurred.

Site Preparation

Site Preparation Burn - A prescribed burn should be conducted to further prepare the site and to enhance the herbicide effectiveness and reducing the likelihood of re-sprouting. A burn will reduce debris that may otherwise impede tree planting. The result will enable better accessibility by tree planters, improving overall uniformity and quality of the planting job. A prescribed burning plan should be developed and followed in the application of the burn. A certified prescribed burning manager should be employed to conduct the burn.

Regeneration

Planting - Following site preparation, the area should be Hand planted with genetically improved loblolly pine. Seedlings will be planted at a rate of 691 trees per acre at a spacing of 6 x 9 feet. A deviation from the recommended planting rates will be limited to plus or minus 40 trees per acre. Planting should be done between December and March. Adverse weather conditions such as prolonged dry or cold periods should be taken into consideration when planting. **Seedling Survival Checks** - A seedling survival check will be conducted in late fall to ensure adequate stocking of the stand.

Strata 2: Stands 3, 4, 6, 8, 13

Strata Description

Mixed Sawtimber

Acres: 95

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

This is a 53+ year-old mixed pine-hardwood sawtimber strata. At present, pine basal area averages 75 square feet per acre and merchantable heights average 65 feet. There is 5 stands located within this strata.

Strata Recommendations

In order to produce high quality sawtimber a regeneration harvest will be conducted on stand 13 within this stratum. The harvest will occur in the year 2012. This will followed by site preparation, prescribe burn, and regeneration. Then in order to produce high quality sawtimber the stand should be managed on a thirty-five-year rotation. At the end of thirty-five-years the stand will have a final harvest done on it followed by site prep and artificial regeneration to Loblolly Pine. The remaining four stands are scattered throughout the property and are smaller blocks.

Activity Recommendations

Harvest

In order to enhance the productivity of this site, a regeneration harvest should be conducted on stand 13, followed by regeneration with more desirable tree species. In a regeneration harvest, all merchantable timber is cut from the site and the site is either planted or site prepared for natural regeneration. This will occur in the fiscal year 2012.

Site Preparation

Aerial Application of Herbicide - Site preparation in the form of an aerial application of a herbicide should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommendation rates and specifications. A herbicide representative should be contacted to write a rate and application method recommendation.

Site Preparation

Site Preparation Burn - A prescribed burn should be conducted to further prepare the site and to enhance the herbicide effectiveness and reducing the likelihood of re-sprouting. A burn will reduce debris that may otherwise impede tree planting. The result will enable better accessibility by tree planters, improving overall uniformity and quality of the planting job. A prescribed burning plan should be developed and followed in the application of the burn. A certified prescribed burning manager should be employed to conduct the burn.

Regeneration

Planting - Following site preparation, the area should be Hand planted with genetically improved loblolly pine. Seedlings will be planted at a rate of 691 trees per acre at a spacing of 6 x 9 feet. A deviation from the recommended planting rates will be limited to plus or minus 40 trees per acre. Planting should be done between December and March. Adverse weather conditions such as prolonged dry or cold periods should be taken into consideration when planting. **Seedling Survival Checks**

- A seedling survival check will be conducted in late fall to ensure adequate stocking of the stand.

Strata 3: Stand 15

Strata Description

Pine Plantation

Acres 72

This is a 17+ year-old Loblolly pine plantation that averages 477 trees per acre, and has an average merchantable height of 37.3 feet. At present, the average dbh of this stand is 7.4 inches.

Strata Recommendations

These stands will be managed to a 35 year rotation. During this time frame, management activities such as thinning to remove poor quality trees and improve growth, vegetative control to control undesirable species, and prescribed burning to improve wildlife habitat will be used to keep stands at full production.

In 2011, the stand was evaluated to determine if it could be thinned. In order to produce high quality sawtimber the stand should be managed under existing recommendations. This will be accomplished on a thirty-five-year rotation. At the end of thirty-five-years the stand will have a final harvest done on it followed by site prep and artificial regeneration to Loblolly Pine.

This will be the first thinning of this pine plantation. A fifth row thin followed by an operator select cut is recommended for this property. After removing every fifth row of trees, the operator will select from the remaining trees those in need of removal. It will be thinned to produce a well-spaced stand with a basal area of 75 square feet per acre. Priority will be placed on removal of trees that are forked, less than 6 inches dbh, or otherwise undesirable. The first thinning should occur in the year 2012.

Activity Recommendations

Harvest

This will be the first thinning of this pine plantation. A fifth row thin followed by an operator select cut is recommended for this property. After removing every fifth row of trees, the operator will select from the remaining trees those in need of removal. It will be thinned to produce a well-spaced stand with a basal area of 75 square feet per acre. Priority will be placed on removal of trees that are forked, less than 6 inches dbh, or otherwise undesirable.

Harvest

The stand should be evaluated in 5 to 8 years after harvest for a second thin. The harvest should occur in the year 2019. The stand will be evaluated by crown closure and 10 year growth rate. The stand will be marked for thinning. It will be thinned to produce a well-spaced stand with a basal area of approximately 95 square feet per acre. Priority will be placed on removal of trees that are poor quality, diseased, or poor formed trees. Mechanical thinning should be a viable option on this stratum.

Fire Protection

A prescribed burn should be carried out on this property in the late fall or early winter of 2014 and be repeated on a two or three year rotation thereafter. Prescribed fire when used correctly can greatly benefit the health and vigor of a stand. It reduces the undesirable tree species that often crowd out or suppress pines. These unwanted understory trees and shrubs species not only compete for water, nutrients, and growing space, but often contain dead needles and leaves that act as ladder fuels allowing a fire to climb into the overstory crowns. Prescribed fire also reduces the hazardous fuel loads within the stand and prevents damage in the event of a wildfire.

A Prescribed burning program benefits wildlife by maintaining the forest understory in early stages of plant succession. It is utilized by bobwhite quail, turkey, white-tailed deer, and many other nongame species. This is accomplished by keeping the forage within the reach of the wildlife. Openings left in the forest, firebreaks, and the edge effect created adjacent to these openings will serve to provide feeding (food plots), nesting, and dusting areas for many different species of wildlife. Both game and non-game species will concentrate in these areas, thereby increasing opportunities for wildlife viewing.

Strata 4: Stands 2, 7, 9, 12, 17

Strata Description

Pine Plantation

Acres: 65

This is a 17 year-old Loblolly pine plantation that averages 240 trees per acre, and has an average merchantable height of 41 feet. At present, the average dbh of this stand is 7.1 inches.

Strata Recommendations

These stands will be managed to a 35 year rotation. During this time frame, management activities such as thinning to remove poor quality trees and improve growth, vegetative control to control undesirable species, and prescribed burning to improve wildlife habitat will be used to keep stands at full production.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

In 2016, the stand will need to be evaluated to determine if it can be thinned. In order to produce high quality sawtimber the stand should be managed under existing recommendations. This will be accomplished on a thirty-five-year rotation. At the end of thirty-five-years the stand will have a final harvest done on it followed by site prep and artificial regeneration to Loblolly Pine.

This will be the first thinning of this pine plantation. A fifth row thin followed by an operator select cut is recommended for this property. After removing every fifth row of trees, the operator will select from the remaining trees those in need of removal. It will be thinned to produce a well-spaced stand with a basal area of 75 square feet per acre. Priority will be placed on removal of trees that are forked, less than 6 inches dbh, or otherwise undesirable.

Activity Recommendations

Harvest

The stand should be evaluated in 3 years for a second thin. The stand will be evaluated by crown closure and 10 year growth rate. The stand will be marked for thinning. It will be thinned to produce a well-spaced stand with a basal area of approximately 95 square feet per acre. Priority will be placed on removal of trees that are poor quality, diseased, or poor formed trees. Mechanical thinning should be a viable option on this stratum.

Fire Protection

A prescribed burn should be carried out on this property in the late fall or early winter of 2014 and be repeated on a two or three year rotation thereafter. Prescribed fire when used correctly can greatly benefit the health and vigor of a stand. It reduces the undesirable tree species that often crowd out or suppress pines. These unwanted understory trees and shrubs species not only compete for water, nutrients, and growing space, but often contain dead needles and leaves that act as ladder fuels allowing a fire to climb into the overstory crowns. Prescribed fire also reduces the hazardous fuel loads within the stand and prevents damage in the event of a wildfire.

A Prescribed burning program benefits wildlife by maintaining the forest understory in early stages of plant succession. It is utilized by bobwhite quail, turkey, white-tailed deer, and many other nongame species. This is accomplished by keeping the forage within the reach of the wildlife. Openings left in the forest, firebreaks, and the edge effect created adjacent to these openings will serve to provide feeding (food plots), nesting, and dusting areas for many different species of wildlife. Both game and non-game species will concentrate in these areas, thereby increasing opportunities for wildlife viewing.

Strata Description

Regeneration Area

Acres: 29

This area was recently harvested, site prepared and planted to improved loblolly pine in fiscal year 2011. A completed seedling survival check found 706 improved loblolly pines surviving per acre.

Strata Recommendations

These stands will be managed to a 35 year rotation. During this time frame, management activities such as thinning to remove poor quality trees and improve growth, vegetative control to control undesirable species, and prescribed burning to improve wildlife habitat will be used to keep stands at full production.

Monitor this stand annually. At this time there are no scheduled activities planned. Routine inspections and general maintenance of the roads, Firelanes, and boundary lines will ensure overall appearance and aesthetics of the property. In order to produce high quality sawtimber the stand should be managed under existing recommendations. This will be accomplished on a thirty-five-year rotation. At the end of thirty-five-years the stand will have a final harvest done on it followed by site prep and artificial regeneration to Loblolly Pine. This strata should be harvested when the adjoining area's have a final harvest.

Strata 6: Stand 10

Strata Description

Seed Tree Area

Acres 21

This stand is a natural regeneration area with seed trees still present. Pine sawtimber basal area for the strata is 200+ square feet per acre. The dbh of this strata varies widely from 2 inches to 30+ inches.

Strata Recommendations

In order to produce high quality sawtimber a regeneration harvest should be conducted on this strata. The harvest will occur in the year 2013. This will be followed by site preparation, prescribe burn, and regeneration. Then in order to produce high quality sawtimber the stand should be managed on a thirty-five-year rotation. At the end of thirty-five-years the stand will have a final harvest done on it followed by site prep and artificial regeneration to Loblolly Pine.

Activity Recommendations

Harvest

In order to enhance the productivity of this site, a regeneration harvest should be conducted followed by regeneration with more desirable tree species. In a

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

regeneration harvest, all merchantable timber is cut from the site and the site is either planted or site prepared for natural regeneration.

Site Preparation

Aerial Application of Herbicide - Site preparation in the form of an aerial application of a herbicide should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommendation rates and specifications. A herbicide representative should be contacted to write a rate and application method recommendation.

Site Preparation

Site Preparation Burn - A prescribed burn should be conducted to further prepare the site and to enhance the herbicide effectiveness and reducing the likelihood of re-sprouting. A burn will reduce debris that may otherwise impede tree planting. The result will enable better accessibility by tree planters, improving overall uniformity and quality of the planting job. A prescribed burning plan should be developed and followed in the application of the burn. A certified prescribed burning manager should be employed to conduct the burn.

Regeneration

Planting - Following site preparation, the area should be Hand planted with genetically improved loblolly pine. Seedlings will be planted at a rate of 691 trees per acre at a spacing of 6 x 9 feet. A deviation from the recommended planting rates will be limited to plus or minus 40 trees per acre. Planting should be done between December and March. Adverse weather conditions such as prolonged dry or cold periods should be taken into consideration when planting. **Seedling Survival Checks** - A seedling survival check will be conducted in late fall to ensure adequate stocking of the stand.

OTHER PLAN ACTIVITIES

Boundary Lines

Line Description

The section boundary line's have been established and painted on a five year rotation.

Line Recommendations


The section boundary line are to be painted with **Orange** boundary line paint. The are to be painted on a five year rotation.

Activity Recommendations

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Property Activities

Routine inspections and general maintenance of the roads, Firelanes, and boundary lines will ensure overall appearance and aesthetics of the property.




Leake County Schools

Sec. 16 Twn 9 North Rge 8 East
Management Map (Walnut Grove Section)
639.67 Acres



(01/12/2012)



Sec. 16 Twn 9 North Rge 8 East (Walnut Grove Section)



Property

Property (1)

Category 1: Stands

Reproduction (2)
 Pulpwood (6)
 Sawtimber (5)
 Chip-n-Saw (2)

Category 3: Non-Forest Stands

Non-Forest (2)

Fire

Mitigation Burn (2)

Management Compartment

Harvest (1)

Management Compartment (cont)

Management (1)

MFC Basemap

County Boundary

County Boundary (1)

Quadrangle Grid

USGS Quad (2)

PLS Townships

PLS Townships (1)

Survey Districts

District 2 (1)

Blockgroup (Census 2000)

Blockgroup (Census 2000) (2)

Block (Census 2000)

Block (Census 2000) (8)

Tract/BNA (Census 2000)

Tract/BNA (Census 2000) (2)

County Roads

County Roads (4)

US/State Highways

State Highway (1)

School Sections

School Sections (1)

Public School Districts

LEAKE COUNTY SCHOOL DISTRICT (1)

US Congressional District

US Cong Dist #2 (1)
 US Cong Dist #3 (1)

MS Senate

18 (1)

MS House

27 (1)
 45 (1)

Intermittent Streams

Intermittent Streams (2)

Hydrologic Units (Basins)

YOCKANOOKANY RIVER (1)

Historic Forest Boundary

Loblolly/Shortleaf Pine-Oak (1)

MS Forest Habitat

JACKSON PRAIRIE/HILLS (1)
 LOWER LOAM HILLS (1)

Physiographic Region

North Central Hills (1)

Soil Associations

smithdale-ora-ruston (1)

Surface Geology

COOK MOUNTAIN (1)
 KOSCIUSKO (1)

MFC Districts

MFC Districts (1)

MFC Dispatch Units

MFC Dispatch Units (1)

MS Outline

MS Outline (1)

Stand Activity Summary for
Leake County BOE
16 9N 8E

Filters Applied: County: Leake
Client Class: School Trust Land
District: East Central District
Client: Leake County BOE
STR: 16 9N 8E
Activity:
Year: 2012 Through 2021

STR	Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
2012						
16 9N 8E	2	13	Site Preparation, Chemical, Broadcast, Machine, Combination	58	\$4,640.00	\$0.00
16 9N 8E	2	13	Site Preparation, Other, Burn, Hand, Debris	58	\$1,450.00	\$0.00
16 9N 8E	2	13	Regeneration, Artificial, Plant, Hand, Loblolly	58	\$6,380.00	\$0.00
16 9N 8E	2	13	Harvest, Mechanical, Final, Machine, Loblolly	58	\$870.00	\$119,306.00
16 9N 8E	3	15	Harvest, Mechanical, 1st Thin, Machine, Loblolly	72	\$1,080.00	\$22,104.00
Yearly Totals				304	\$14,420.00	\$141,410.00
2013						
16 9N 8E	1	14	Harvest, Mechanical, Final, Machine, Loblolly	55	\$1,925.00	\$81,455.00
16 9N 8E	6	10	Harvest, Mechanical, Final, Machine, Loblolly	21	\$735.00	\$35,511.00
Yearly Totals				76	\$2,660.00	\$116,966.00
2014						
16 9N 8E	1	14	Regeneration, Artificial, Plant, Hand, Loblolly	55	\$6,050.00	\$0.00
16 9N 8E	1	14	Site Preparation, Other, Burn, Hand, Debris	55	\$1,375.00	\$0.00
16 9N 8E	1	14	Site Preparation, Chemical, Broadcast, Aerial, Combination	55	\$4,400.00	\$0.00
16 9N 8E	3	15	Fire Protection, Other, Burn, Hand, Hazard Mitigation	72	\$1,800.00	\$0.00
16 9N 8E	4	2	Fire Protection, Other, Burn, Hand, Hazard Mitigation	7	\$175.00	\$0.00
16 9N 8E	4	7	Fire Protection, Other, Burn, Hand, Hazard Mitigation	13	\$319.50	\$0.00
16 9N 8E	4	9	Fire Protection, Other, Burn, Hand, Hazard Mitigation	27	\$680.50	\$0.00

STR	Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
16 9N 8E	4	12	Fire Protection, Other, Burn, Hand, Hazard Mitigation	18	\$441.75	\$0.00
16 9N 8E	4	17	Fire Protection, Other, Burn, Hand, Hazard Mitigation	2	\$50.75	\$0.00
16 9N 8E	6	10	Regeneration, Artificial, Plant, Hand, Loblolly	21	\$2,310.00	\$0.00
16 9N 8E	6	10	Site Preparation, Other, Burn, Hand, Debris	21	\$525.00	\$0.00
16 9N 8E	6	10	Site Preparation, Chemical, Broadcast, Aerial, Combination	21	\$1,680.00	\$0.00

Yearly Totals 367 \$19,807.50 \$0.00

2016

16 9N 8E	1	14	Harvest, Mechanical, Final, Machine, Loblolly	56	\$1,960.00	\$95,256.00
16 9N 8E	4	2	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	7	\$245.00	\$1,575.00
16 9N 8E	4	7	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	13	\$447.30	\$2,619.90
16 9N 8E	4	9	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	27	\$945.00	\$5,535.00
16 9N 8E	4	12	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	18	\$630.00	\$4,050.00
16 9N 8E	4	17	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	2	\$70.00	\$426.00

Yearly Totals 123 \$4,297.30 \$109,461.90

2017

16 9N 8E	1	14	Site Preparation, Other, Burn, Hand, Debris	56	\$1,400.00	\$0.00
16 9N 8E	1	14	Regeneration, Artificial, Plant, Hand, Loblolly	56	\$6,160.00	\$0.00
16 9N 8E	1	14	Site Preparation, Chemical, Broadcast, Aerial, Combination	56	\$4,480.00	\$0.00

Yearly Totals 168 \$12,040.00 \$0.00

2019

16 9N 8E	1	14	Harvest, Mechanical, Final, Machine, Loblolly	45	\$1,575.00	\$74,520.00
16 9N 8E	3	15	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	72	\$2,520.00	\$29,376.00

Yearly Totals 117 \$4,095.00 \$103,896.00

2020

STR	Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
16 9N 8E	1	14	Site Preparation, Other, Burn, Hand, Debris	45	\$1,125.00	\$0.00
16 9N 8E	1	14	Regeneration, Artificial, Plant, Hand, Loblolly	45	\$4,950.00	\$0.00
16 9N 8E	1	14	Site Preparation, Chemical, Broadcast, Aerial, Combination	45	\$3,600.00	\$0.00
Yearly Totals				135	\$9,675.00	\$0.00
Grand Totals				1.289	\$66,994.80	\$471,733.90