



Vision • Commitment • Pride

FOREST STEWARDSHIP MANAGEMENT PLAN

Prepared For:
Leake County BOE

Prepared By:
Howard Wayne Ornsbey
MS Forestry Commission

Time Period Covered by This Plan:
2012 - 2021

Date Plan Prepared:
2012-02-13

Plan Type:
Stewardship / Stewardship

This plan was developed in accordance with the rules of the Stewardship program.

Property Name: Section 16 Township 12 North Range 08 East

TABLE OF CONTENTS

LANDOWNER INFORMATION	3
FORESTER INFORMATION	3
INTRODUCTION	3
DISCLAIMER	3
OBJECTIVES	4
PROPERTY DESCRIPTION	4
GENERAL PROPERTY RECOMMENDATIONS	5
SOIL TYPES	6
STRATA	7
OTHER PLAN ACTIVITIES	13
PLAN MAP	14
PLAN MAP	15
STRATA ACTIVITY SCHEDULE	16

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

LANDOWNER INFORMATION

Name: Leake County BOE
Mailing Address: P.O. Box 478
City, State, Zip: Carthage, MS 39051
Country: United States of America
Contact Numbers: Home Number:
Office Number: 601-267-4579
Fax Number: 601-267-5283

E-mail Address:
Social Security Number (optional):

FORESTER INFORMATION

Name: Howard Wayne Ornsbey , Service Forester
Forester Number: 01820
Organization: MS Forestry Commission
Street Address: PO Box 24
City, State, Zip: Carthage, MS 39051
Contact Numbers: Office Number: 601-267-9357
Fax Number: 601-267-9357

E-mail Address: wornsbey@mfc.state.ms.us

PROPERTY LOCATION

County: Leake Total Acres: 641 Latitude: -89.48 Longitude: 32.89
Section: 16 Township: 12N Range: 8E

INTRODUCTION

This Forest Stewardship Management Plan will serve as a guide for accomplishing the goals and objectives for your property. In addition to addressing your specific goals and objectives, this plan includes recommendations for maintaining soil and water quality and protecting your forest from insects, disease, and wildfire. Recommendations are based on observation and assessment of the site.

DISCLAIMER

This information was derived from a small sampling of the forest resources. It reflects a statistical estimation that is only intended to be accurate enough for the purposes of making decisions for the short-term management of these resources. These estimations are temporally static. Events and circumstances may occur within the survey area that will physically alter the forest resources and therefore will not be reflected in this plan.

OBJECTIVES

Timber Production

The goal is to produce high quality sawtimber. This will be accomplished through reforestation and timber stand improvement practices such as herbicide applications, prescribed burning, thinning at specified intervals, and other silvicultural practices. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

Water Quality

Streamside management zones have or will be established along the stream and a protective vegetative zone maintained along the perimeter. Water diversions will be installed and maintained where needed on access roads to prevent erosion.

Wildlife Management - General

The goal is to provide a diversity of habitats suitable for a variety of game and non-game wildlife species. Habitat management will focus on developing a variety of food, cover, water, and space. This will be accomplished by establishing and maintaining access roads and firelanes, providing openings within the forest, and the management of trees located within the Streamside Management Zone.

PROPERTY DESCRIPTION

General Property Information

The property is located in the Barnes Community in northern Leake County along Cook Road. This property is 641 acres with 598 acres forest and 43 acres nonforest. The major stand type is mixed Loblolly Pine and hardwood. The stands range in age from ten to fifty years of age. There is 85 acres sub-merchantable pine plantation, 198 acres of pulpwood in pine plantation, and 315 acres of mixed pine hardwood sawtimber. There is a Stream Side Management Zone (SMZ) totaling 36 acres.

No Archeological or Cultural Resources Were Identified:

No Archeological or Cultural Resources Were Identified:

No Archeological or Cultural resources were identified during a reconnaissance of the property. However, if Archeological or Cultural resources are discovered anytime on the property special managements measures will be applied immediately in order preserve these sensitive areas.

Water Resources

Water resources that were identified during a reconnaissance of this property, was Coon Creek. Along with Coon Creek, intermittent streams and drains will be managed in accordance with Mississippi's Best Management Practices.

Timber Production

The goal is to maximize the production of high quality timber. This will be accomplished through the application of timely thinning and other silvicultural practices designed to

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

enhance timber quality and growth. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

Threatened and Endangered Species

No threatened and endangered species were identified during the reconnaissance and evaluation of your property.

Interaction with Surrounding Property

Prescribed practices should be carried out in a manner that will minimize adverse impacts on surrounding properties. Consideration should be given to potential air, water, visual, and other impacts. In addition, practices carried out should have positive effects on the surrounding community such as improved wildlife habitat and soil stabilization.

Soils General

Soils were evaluated on the property to determine the suitability of the site for the proposed activities. Forest practices were planned so as to minimize erosion or other adverse effects on the soil. The following soils are identified for this property: Smithdale.

GENERAL PROPERTY RECOMMENDATIONS

Forest Protection

A healthy vigorously growing stand is the best defense to an attack from a variety of forest insects, plants and pathogens.

Insects and Diseases

Trees are subject to attack from insects and diseases. Different insects and diseases affect trees according to the age, species, and condition of the trees. Planted stands of pines and pure stands of hardwoods are particularly susceptible to attack. Since there are many different insects and diseases, no attempt will be made here to explain all of them. The property should be inspected at least annually for possible signs of insect and disease activity. Some things to look for are:

- Unseasonable leaf fall
- Discoloration of leaves or needles
- Pitch pockets on pine trees
- Heavy defoliation of hardwood leaves
- Groups of three or more dying trees within a stand

This list does not cover all instances of insect or disease attacks. If anything unusual is noticed, report it to a forester. In most cases, insect and disease problems can be controlled if discovered early.

Fire Protection

Your forest should be protected from wildfire at all times. The best way to protect your investment is by establishing and maintaining firebreaks around the property. Guidelines for establishment and maintenance of firebreaks may be found in Mississippi Forestry Commission publication #107, *Mississippi's Best Management Practices*

Grazing

Tree seedlings should be protected from grazing until such time as the terminal bud of the sapling is beyond reach of livestock. Domestic livestock should be denied access to the tree planting area.

Boundary Lines

The boundary lines will be maintained every four years.

Note: Some forest practices may cause temporary adverse environmental or aesthetic impacts. These practices will only cause short-term adverse impacts where they are installed. Special efforts will be made to minimize adverse effects when carrying out any of the practices. Examples include: site preparation, planting, prescribed fires, firebreak installation and maintenance, road installation and maintenance, pesticide applications and timber harvesting.

Water Quality Protection

The objective of the landowner is to protect, preserve and enhance all water sources on or transecting the property. This can best be achieved by implementation of Best Management Practices in all aspects of the management of the property.

Aesthetics

The goal is to assure that the property is managed in such a way that is aesthetically pleasing to the landowner as well as the community. Activities could include, maintaining buffer strips along the road and adjacent to the home site, planting wildflowers along the road, and trees with attractive fall and spring color along the drive and near the home site.

Wildlife Management General

The goal is to provide a diversity of habitats suited for a variety of game and non-game wildlife species. Habitat management will focus on providing a variety of food, cover, water, and space. This will be accomplished, in part, by establishing and maintaining access roads and firelanes, providing openings within the forest, and leaving mast producing and den trees.

Timber Management

Timber management goals for this property are to manage timber resources in such a manner as to maximize timber production throughout the life of the stand.

SOIL TYPES

Smithdale

The Smithdale component makes up 90 percent of the map unit. Slopes are 8 to 15 percent. This component is on hillslopes. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is

not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria. Loblolly Site Index = 80.

STRATA

Strata 1: Stands 14, 15, 16, 17, 18, 19, 20, 21, and 22

Strata Description

Mixed Sawtimber

Acres: 315

This is a 53+ year-old mixed pine-hardwood sawtimber stand. At present, pine basal area averages 52 square feet per acre and average merchantable heights average 48 feet. At present, the average dbh of the strata is 13.7 inches. Species found includes: water oak, willow oak, sweetgum, southern red oak, white oak, and southern yellow pine.

Strata Recommendations

These stands will be managed to a 35 year rotation. During this time frame, management activities such as thinning to remove poor quality trees and improve growth, vegetative control to control undesirable species, and prescribed burning to improve wildlife habitat will be used to keep stands at full production.

Monitor this stand annually. At this time there are scheduled activities planned in 2013, 2014, 2019 and 2020. The activities are regeneration harvest and regeneration with improved loblolly seedlings. Routine inspections and general maintenance of the roads, Firelanes, and boundary lines will ensure overall appearance and aesthetics of the property. In order to produce high quality sawtimber the stand should be managed under existing recommendations. This will be accomplished on a thirty-five-year rotation. At the end of thirty-five-years the stand will have a final harvest done on it followed by site prep and artificial regeneration to Loblolly Pine. This strata should be harvested when the adjoining area's have a final harvest.

Activity Recommendations

Harvest

In order to enhance the productivity of this site, a regeneration harvest should be conducted followed by regeneration with more desirable tree species. In a regeneration harvest, all merchantable timber is cut from the site and the site is either planted or site prepared for natural regeneration. This will occur in fiscal year's 2013 and 2019.

Site Preparation

Aerial Application of Herbicide - Site preparation in the form of an aerial application of a herbicide should be applied to the tract to control competing vegetation. The herbicide should conform to the manufacturer recommendation rates and

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

specifications. A herbicide representative should be contacted to write a rate and application method recommendation. This will occur after the regeneration harvest and adequate sprouting has occurred, approximately in the summer of 2014 and 2020.

Site Preparation

Site Preparation Burn - A prescribed burn should be conducted to further prepare the site and to enhance the herbicide effectiveness and reducing the likelihood of re-sprouting. A burn will reduce debris that may otherwise impede tree planting. The result will enable better accessibility by tree planters, improving overall uniformity and quality of the planting job. A prescribed burning plan should be developed and followed in the application of the burn. A certified prescribed burning manager should be employed to conduct the burn.

Regeneration

Planting - Following site preparation, the area should be Hand planted with genetically improved loblolly pine. Seedlings will be planted at a rate of 691 trees per acre at a spacing of 6 x 9 feet. A deviation from the recommended planting rates will be limited to plus or minus 40 trees per acre. Planting should be done between December and March. Adverse weather conditions such as prolonged dry or cold periods should be taken into consideration when planting. **Seedling Survival Checks** - A seedling survival check will be conducted in late fall to ensure adequate stocking of the stand. This planting will occur in the years of 2014 and 2020.

Strata 2: Stands 4 and 5

Strata Description

Pine Plantation

Acres: 42

This is a 21 year-old Loblolly pine plantation that averages 425 trees per acre, and has an average merchantable height of 40 feet. At present, the average dbh of this stand is 6.8 inches.

Strata Recommendations

These stands will be managed to a 35 year rotation. During this time frame, management activities such as thinning to remove poor quality trees and improve growth, vegetative control to control undesirable species, and prescribed burning to improve wildlife habitat will be used to keep stands at full production.

In 2012, the stand will need to be evaluated to determine if it can be thinned. In order to produce high quality sawtimber the stand should be managed under existing recommendations. This will be accomplished on a thirty-five-year rotation. At the end of

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

thirty-five-years the stand will have a final harvest done on it followed by site prep and artificial regeneration to Loblolly Pine.

This will be the first thinning of this pine plantation. A fifth row thin followed by an operator select cut is recommended for this property. After removing every fifth row of trees, the operator will select from the remaining trees those in need of removal. It will be thinned to produce a well-spaced stand with a basal area of 75 square feet per acre. Priority will be placed on removal of trees that are forked, less than 6 inches dbh, or otherwise undesirable.

Activity Recommendations

Fire Protection

A prescribed burn should be carried out on this property in the late fall or early winter of 2012 and be repeated on a two or three year rotation thereafter. Prescribed fire when used correctly can greatly benefit the health and vigor of a stand. It reduces the undesirable tree species that often crowd out or suppress pines. These unwanted understory trees and shrubs species not only compete for water, nutrients, and growing space, but often contain dead needles and leaves that act as ladder fuels allowing a fire to climb into the overstory crowns. Prescribed fire also reduces the hazardous fuel loads within the stand and prevents damage in the event of a wildfire.

A Prescribed burning program benefits wildlife by maintaining the forest understory in early stages of plant succession. It is utilized by bobwhite quail, turkey, white-tailed deer, and many other nongame species. This is accomplished by keeping the forage within the reach of the wildlife. Openings left in the forest, firebreaks, and the edge effect created adjacent to these openings will serve to provide feeding (food plots), nesting, and dusting areas for many different species of wildlife. Both game and non-game species will concentrate in these areas, thereby increasing opportunities for wildlife viewing.

Harvest

This will be the first thinning of this pine plantation in fiscal year 2013. A fifth row thin followed by an operator select cut is recommended for this property. After removing every fifth row of trees, the operator will select from the remaining trees those in need of removal. It will be thinned to produce a well-spaced stand with a basal area of 75 square feet per acre. Priority will be placed on removal of trees that are forked, less than 6 inches dbh, or otherwise undesirable.

Strata 3: Stand 10

Strata Description

Pine Plantation

Acres: 37

This is a 25 year-old Loblolly pine plantation that averages 175 trees per acre, and has an average merchantable height of 41 feet. At present, the average dbh of this stand is 6.9 inches.

Strata Recommendations

These stands will be managed to a 35 year rotation. During this time frame, management activities such as thinning to remove poor quality trees and improve growth, vegetative control to control undesirable species, and prescribed burning to improve wildlife habitat will be used to keep stands at full production.

In 2021, the stand will need to be evaluated to determine if it can be thinned. In order to produce high quality sawtimber the stand should be managed under existing recommendations. This will be accomplished on a thirty-five-year rotation. At the end of thirty-five-years the stand will have a final harvest done on it followed by site prep and artificial regeneration to Loblolly Pine.

This will be the second thinning of this pine plantation. The operator will select from the remaining trees those in need of removal. It will be thinned to produce a well-spaced stand with a basal area of 95 square feet per acre. Priority will be placed on removal of trees that are forked, less than 7 inches dbh, or otherwise undesirable.

Activity Recommendations

Fire Protection

A prescribed burn should be carried out on this property in the late fall or early winter of 2012 and be repeated on a two or three year rotation thereafter. Prescribed fire when used correctly can greatly benefit the health and vigor of a stand. It reduces the undesirable tree species that often crowd out or suppress pines. These unwanted understory trees and shrubs species not only compete for water, nutrients, and growing space, but often contain dead needles and leaves that act as ladder fuels allowing a fire to climb into the overstory crowns. Prescribed fire also reduces the hazardous fuel loads within the stand and prevents damage in the event of a wildfire.

A Prescribed burning program benefits wildlife by maintaining the forest understory in early stages of plant succession. It is utilized by bobwhite quail, turkey, white-tailed deer, and many other nongame species. This is accomplished by keeping the forage within the reach of the wildlife. Openings left in the forest, firebreaks, and the edge effect created adjacent to these openings will serve to provide feeding (food plots), nesting, and dusting areas for many different species of wildlife. Both game and non-game species will concentrate in these areas, thereby increasing opportunities for wildlife viewing.

Harvest

The stand should be evaluated in 5 to 8 years for a second thin. The stand will be evaluated by crown closure and 10 year growth rate. The stand will be marked for thinning. It will be thinned to produce a well-spaced stand with a basal area of approximately 95 square feet per acre. Priority will be placed on removal of trees that are poor quality, diseased, or poor formed trees. Mechanical thinning should be a viable option on this stratum. The stand will be evaluated in 2020 for the second thinning.

Strata 4: Stands 7, 9, 11, 12, and 13

Strata Description

Pine Plantation

Acres: 120

This is a 25 year-old Loblolly pine plantation that averages 378 trees per acre, and has an average merchantable height of 39 feet. At present, the average dbh of this stand is 7.3 inches.

Strata Recommendations

These stands will be managed to a 35 year rotation. During this time frame, management activities such as thinning to remove poor quality trees and improve growth, vegetative control to control undesirable species, and prescribed burning to improve wildlife habitat will be used to keep stands at full production.

In 2013, the stand will need to be evaluated to determine if it can be thinned. In order to produce high quality sawtimber the stand should be managed under existing recommendations. This will be accomplished on a thirty-five-year rotation. At the end of thirty-five-years the stand will have a final harvest done on it followed by site prep and artificial regeneration to Loblolly Pine.

This will be the first thinning of this pine plantation. A fifth row thin followed by an operator select cut is recommended for this property. After removing every fifth row of trees, the operator will select from the remaining trees those in need of removal. It will be thinned to produce a well-spaced stand with a basal area of 75 square feet per acre. Priority will be placed on removal of trees that are forked, less than 6 inches dbh, or otherwise undesirable.

Activity Recommendations

Fire Protection

A prescribed burn should be carried out on this property in the late fall or early winter of 2012 and be repeated on a two or three year rotation thereafter. Prescribed fire when used correctly can greatly benefit the health and vigor of a stand. It reduces the undesirable tree species that often crowd out or suppress pines. These unwanted

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

understory trees and shrubs species not only compete for water, nutrients, and growing space, but often contain dead needles and leaves that act as ladder fuels allowing a fire to climb into the overstory crowns. Prescribed fire also reduces the hazardous fuel loads within the stand and prevents damage in the event of a wildfire.

A Prescribed burning program benefits wildlife by maintaining the forest understory in early stages of plant succession. It is utilized by bobwhite quail, turkey, white-tailed deer, and many other nongame species. This is accomplished by keeping the forage within the reach of the wildlife. Openings left in the forest, firebreaks, and the edge effect created adjacent to these openings will serve to provide feeding (food plots), nesting, and dusting areas for many different species of wildlife. Both game and non-game species will concentrate in these areas, thereby increasing opportunities for wildlife viewing.

Harvest

This will be the first thinning of this pine plantation. A fifth row thin followed by an operator select cut is recommended for this property. After removing every fifth row of trees, the operator will select from the remaining trees those in need of removal. It will be thinned to produce a well-spaced stand with a basal area of 75 square feet per acre. Priority will be placed on removal of trees that are forked, less than 6 inches dbh, or otherwise undesirable.

Strata 5: Stands 1, 2, and 3

Strata Description

Pine Sub-merchantable

Acres: 85

This tract is a 10 year-old, sub-merchantable Loblolly Pine stand that averages, 405 trees per acre and total height measures 29 feet.

Strata Recommendations

These stands will be managed to a 35 year rotation. During this time frame, management activities such as thinning to remove poor quality trees and improve growth, vegetative control to control undesirable species, and prescribed burning to improve wildlife habitat will be used to keep stands at full production.

In 2016, the stand will need to be evaluated to determine if it can be thinned. In order to produce high quality sawtimber the stand should be managed under existing recommendations. This will be accomplished on a thirty-five-year rotation. At the end of thirty-five-years the stand will have a final harvest done on it followed by site prep and artificial regeneration to Loblolly Pine.

MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN

This will be the first thinning of this pine plantation. A fifth row thin followed by an operator select cut is recommended for this property. After removing every fifth row of trees, the operator will select from the remaining trees those in need of removal. It will be thinned to produce a well-spaced stand with a basal area of 75 square feet per acre. Priority will be placed on removal of trees that are forked, less than 6 inches dbh, or otherwise undesirable.

Activity Recommendations

Harvest

This will be the first thinning of this pine plantation. A fifth row thin followed by an operator select cut is recommended for this property. After removing every fifth row of trees, the operator will select from the remaining trees those in need of removal. It will be thinned to produce a well-spaced stand with a basal area of 75 square feet per acre. Priority will be placed on removal of trees that are forked, less than 6 inches dbh, or otherwise undesirable.

OTHER PLAN ACTIVITIES

Boundary Lines

Line Description

The section boundary line's have been established and painted on a five year rotation.


Line Recommendations

The section boundary line are to be painted with **Orange** boundary line paint. The are to be painted on a five year rotation.

Activity Recommendations


Property Activities

Routine inspections and general maintenance of the roads, Firelanes, and boundary lines will ensure overall appearance and aesthetics of the property.




Leake County Schools

Sec. 16 Twn 12 North Rge 08 East
Management Map (Rocky Point Section)
640.98 Acres



(01/12/2012)





Sec. 16 Twn 12 North Rge 08 East (Rocky Point Section)

Property

Property (1)

Category 1: Stands

Sub-Merchantable (3)

Pulpwood (8)

Sawtimber (8)

Category 3: Non-Forest Stands

Non-Forest (3)

Wildlife (Points)

Food Plot (1)

Structures

Barn (1)

Property Roads/Trails

Logging Road (2)

MFC Basemap

County Boundary

County Boundary (1)

Quadrangle Grid

USGS Quad (1)

PLS Townships

PLS Townships (1)

Survey Districts

District 2 (1)

Blockgroup (Census 2000)

Blockgroup (Census 2000) (1)

Block (Census 2000)

Block (Census 2000) (5)

Tract/BNA (Census 2000)

Tract/BNA (Census 2000) (1)

County Roads

County Roads (1)

School Sections

School Sections (1)

Public School Districts

LEAKE COUNTY SCHOOL DISTRICT (1)

US Congressional District

US Cong Dist #2 (1)

US Cong Dist #3 (1)

MS Senate

18 (1)

MS House

48 (1)

45 (1)

Perennial Streams

Perennial Streams (1)

Intermittent Streams

Intermittent Streams (1)

Hydrologic Units (Basins)

YOCKANOOKANY RIVER (1)

Historic Forest Boundary

Loblolly/Shortleaf Pine-Oak (1)

MS Forest Habitat

NORTHERN LOESSIAL LOAM HILLS (1)

LOWER LOAM HILLS (1)

Physiographic Region

North Central Hills (1)

Soil Associations

smithdale-sweatman-providence (1)

smithdale-providence-collins (1)

Surface Geology

KOSCIUSKO (1)

MFC Districts

MFC Districts (1)

MFC Dispatch Units

MFC Dispatch Units (1)

MS Outline

MS Outline (1)

Stand Activity Summary for
Leake County BOE
16 12N 8E

Filters Applied: County: Leake
 Client Class: School Trust Land
 District: East Central District
 Client: Leake County BOE
 STR: 16 12N 8E
 Activity:
 Year: 2012 Through 2021

STR	Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
2012						
16 12N 8E	3	10	Fire Protection, Other, Burn, Hand, Hazard Mitigation	37	\$1,295.00	\$0.00
Yearly Totals				37	\$1,295.00	\$0.00
2013						
16 12N 8E	1	18	Harvest, Mechanical, Final, Machine, Loblolly	40	\$1,400.00	\$67,000.00
16 12N 8E	2	4	Fire Protection, Other, Burn, Hand, Fuel Reduction	2	\$50.00	\$0.00
16 12N 8E	2	4	Harvest, Mechanical, 1st Thin, Machine, Loblolly	2	\$70.00	\$460.00
16 12N 8E	2	5	Fire Protection, Other, Burn, Hand, Fuel Reduction	39	\$980.75	\$0.00
16 12N 8E	2	5	Harvest, Mechanical, 1st Thin, Machine, Loblolly	39	\$1,365.00	\$8,541.00
16 12N 8E	4	7	Fire Protection, Other, Burn, Hand, Fuel Reduction	12	\$300.00	\$0.00
16 12N 8E	4	9	Fire Protection, Other, Burn, Hand, Fuel Reduction	84	\$2,100.50	\$0.00
16 12N 8E	4	11	Fire Protection, Other, Burn, Hand, Fuel Reduction	4	\$107.75	\$0.00
16 12N 8E	4	12	Fire Protection, Other, Burn, Hand, Fuel Reduction	11	\$277.25	\$0.00
16 12N 8E	4	13	Fire Protection, Other, Burn, Hand, Fuel Reduction	9	\$212.75	\$0.00
Yearly Totals				242	\$6,864.00	\$76,001.00
2014						
16 12N 8E	1	18	Site Preparation, Other, Burn, Hand, Debris	40	\$1,000.00	\$0.00
16 12N 8E	1	18	Regeneration, Artificial, Plant, Hand, Loblolly	40	\$4,400.00	\$0.00
16 12N 8E	1	18	Site Preparation, Chemical, Broadcast, Aerial, Combination	40	\$3,200.00	\$0.00

STR	Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
16 12N 8E	4	7	Harvest, Mechanical, Thin, Machine, Loblolly	12	\$405.65	\$2,433.90
16 12N 8E	4	9	Harvest, Mechanical, Thin, Machine, Loblolly	84	\$2,940.00	\$17,640.00
16 12N 8E	4	11	Harvest, Mechanical, Thin, Machine, Loblolly	4	\$140.00	\$644.32
16 12N 8E	4	12	Harvest, Mechanical, Thin, Machine, Loblolly	11	\$385.00	\$5,865.20
16 12N 8E	4	13	Harvest, Mechanical, Thin, Machine, Loblolly	9	\$315.00	\$2,358.00

Yearly Totals 240 \$12,785.65 \$28,941.42

2017

16 12N 8E	2	4	Fire Protection, Other, Burn, Hand, Fuel Reduction	2	\$50.00	\$0.00
16 12N 8E	2	5	Fire Protection, Other, Burn, Hand, Fuel Reduction	39	\$980.75	\$0.00
16 12N 8E	4	7	Fire Protection, Other, Burn, Hand, Fuel Reduction	12	\$300.00	\$0.00
16 12N 8E	4	9	Fire Protection, Other, Burn, Hand, Fuel Reduction	84	\$2,100.50	\$0.00
16 12N 8E	4	11	Fire Protection, Other, Burn, Hand, Fuel Reduction	4	\$107.75	\$0.00
16 12N 8E	4	12	Fire Protection, Other, Burn, Hand, Fuel Reduction	11	\$277.25	\$0.00
16 12N 8E	4	13	Fire Protection, Other, Burn, Hand, Fuel Reduction	9	\$212.75	\$0.00
16 12N 8E	5	1	Harvest, Mechanical, Thin, Machine, Loblolly	59	\$2,065.00	\$12,095.00
16 12N 8E	5	2	Harvest, Mechanical, Thin, Machine, Loblolly	7	\$235.55	\$1,514.25
16 12N 8E	5	3	Harvest, Mechanical, Thin, Machine, Loblolly	19	\$665.00	\$4,275.00

Yearly Totals 246 \$6,994.55 \$17,884.25

2019

16 12N 8E	1	15	Harvest, Mechanical, Final, Machine, Loblolly	40	\$1,400.00	\$67,000.00
16 12N 8E	1	19	Harvest, Mechanical, Final, Machine, Loblolly	9	\$315.00	\$15,075.00

Yearly Totals 49 \$1,715.00 \$82,075.00

2020

16 12N 8E	1	15	Site Preparation, Chemical, Broadcast, Aerial, Combination	40	\$3,200.00	\$0.00
-----------	---	----	--	----	------------	--------

STR	Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
16 12N 8E	1	15	Regeneration, Artificial, Plant, Hand, Loblolly	40	\$4,400.00	\$0.00
16 12N 8E	1	19	Regeneration, Artificial, Plant, Hand, Loblolly	9	\$990.00	\$0.00
16 12N 8E	1	19	Site Preparation, Chemical, Broadcast, Aerial, Combination	9	\$684.00	\$0.00
Yearly Totals				98	\$9,274.00	\$0.00
2021						
16 12N 8E	3	10	Harvest, Mechanical, 2nd Thin, Machine, Loblolly	37	\$1,295.00	\$8,584.00
Yearly Totals				37	\$1,295.00	\$8,584.00
Grand Totals				948	\$40,223.20	\$213,485.67