



Vision • Commitment • Pride

FOREST STEWARDSHIP MANAGEMENT PLAN

Prepared For:
Leflore County BOE

Prepared By:
Wesley James Howard
MS Forestry Commission

Time Period Covered by This Plan:
2012 - 2021

Date Plan Prepared:
2012-02-13

Plan Type:
Stewardship / Stewardship

This plan was developed in accordance with the rules of the Stewardship program.

Property Name: S16-T22N-R1E

TABLE OF CONTENTS

LANDOWNER INFORMATION	3
FORESTER INFORMATION	3
DISCLAIMER	3
INTRODUCTION	3
OBJECTIVES	4
PROPERTY DESCRIPTION	4
GENERAL PROPERTY RECOMMENDATIONS	5
SOIL TYPES	7
STRATA	9
PLAN MAP	11
PLAN MAP	12
STRATA ACTIVITY SCHEDULE	13

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

LANDOWNER INFORMATION

Name: Leflore County BOE
Mailing Address: 1901 HWY 82 West
City, State, Zip: Greenwood , MS 38930
Country: United States of America
Contact Numbers: Home Number:
Office Number: 662-453-8566
Fax Number:

E-mail Address:
Social Security Number (optional):

FORESTER INFORMATION

Name: Wesley James Howard , Service Forester
Forester Number: 02521
Organization: MS Forestry Commission
Street Address: 9600 Hwy 17
City, State, Zip: Carrollton, MS 38917
Contact Numbers: Office Number: 662-237-6732
Fax Number:

E-mail Address: whoward@mfc.state.ms.us

PROPERTY LOCATION

County: Leflore Total Acres: 652 Latitude: -90.2 Longitude: 33.77
Section: 16 Township: 22N Range: 1E

DISCLAIMER

This information was derived from a small sampling of the forest resources. It reflects a statistical estimation that is only intended to be accurate enough for the purposes of making decisions for the short-term management of these resources. These estimations are temporally static. Events and circumstances may occur within the survey area that will physically alter the forest resources and therefore will not be reflected in this plan.

INTRODUCTION

This Forest Stewardship Management Plan will serve as a guide for accomplishing the goals and objectives for your property. In addition to addressing your specific goals and objectives, this plan includes recommendations for maintaining soil and water quality and protecting your forest from insects, disease, and wildfire. Recommendations are based on observation and assessment of the site.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

OBJECTIVES

Timber Production

The goal is to produce high quality sawtimber. This will be accomplished through reforestation and timber stand improvement practices such as herbicide applications, prescribed burning, thinning at specified intervals, and other silvicultural practices. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

Wildlife Management - General

The goal is to provide a diversity of habitats suitable for a variety of game and non-game wildlife species. Habitat management will focus on developing a variety of food, cover, water, and space. This will be accomplished by establishing and maintaining access roads and firelanes, providing openings within the forest, and the management of trees located within the Streamside Management Zone

PROPERTY DESCRIPTION

General Property Information

Section 16_T22N_R1E consists of +/- 652 acres. Section contains 457 acres of agriculture land, 160 acres of bottomland hardwood forest and 33 acres of non-stocked areas. Dominant species found are, green ash, cottonwood, bitter pecan, willow oak, and sweetgum. The section is located 5 miles East of Minter City, Mississippi. This section is accessible from county road 550 that runs through South East corner of section. Property's topography is low, with areas that flood during wet conditions.

Water Resources

Section contains bald cypress and tupelo gum brakes that the section drains into. The non-stocked area on the section hold water during wet conditions. The section drains into the Yazoo River Basin watershed system. Mississippi's Best Management Practices will be followed at all times during any management activities.

Timber Production

The goal is to maximize the production of high quality timber. This will be accomplished through the application of timely thinning and other silvicultural practices designed to enhance timber quality and growth. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

Threatened and Endangered Species

No threatened and endangered species were identified during the reconnaissance and evaluation of this property.

If any threatened and /or endangered species are discovered, immediate management procedures will be applied to protect these sensitive natural resources for future generations.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Interaction with Surrounding Property

Prescribed practices should be carried out in a manner that will minimize adverse impacts on surrounding properties. Consideration should be given to potential air, water, visual, and other impacts. In addition, practices carried out should have positive effects on the surrounding community such as improved wildlife habitat and soil stabilization.

Soils General

Soils were evaluated on the property to determine the suitability of the site for the proposed activities. Forest practices were planned so as to minimize erosion or other adverse effects on the soil. Mississippi Best Management Practices will be implemented to prevent any adverse effects.

Archeological and Cultural Resources

No Archeological or Cultural resources were identified during a reconnaissance of the property. However, if Archeological or Cultural resources are discovered anytime on the property special managements measures will be applied immediately in order preserve these sensitive areas.

GENERAL PROPERTY RECOMMENDATIONS

Forest Protection

A vigorous growing stand is the best defense to an attack from a variety of forest insects, plants and pathogens.

Note: Some forest practices may cause temporary adverse environmental or aesthetic impacts. These practices will only cause short-term adverse impacts where they are installed. Special efforts will be made to minimize adverse effects when carrying out any of the practices. Examples include: site preparation, planting, prescribed fires, firebreak installation and maintenance, road installation and maintenance, pesticide applications and timber harvesting.

Insects and Diseases

Trees are subject to attack from insects and diseases. Different insects and diseases affect trees according to the age, species, and condition of the trees. Planted stands of pines and pure stands of hardwoods are particularly susceptible to attack. Since there are many different insects and diseases, no attempt will be made here to explain all of them. The property should be inspected at least annually for possible signs of insect and disease activity. Some things to look for are:

MISSISSIPPI FORESTRY COMMISSION FOREST STEWARDSHIP MANAGEMENT PLAN

- Unseasonable leaf fall
- Discoloration of leaves or needles
- Pitch pockets on pine trees
- Heavy defoliation of hardwood leaves
- Groups of three or more dying trees within a stand

This list does not cover all instances of insect or disease attacks. If anything unusual is noticed, report it to a forester. In most cases, insect and disease problems can be controlled if discovered early.

Fire Protection

Your forest should be protected from wildfire at all times. The best way to protect your investment is by establishing and maintaining firebreaks around the property. Guidelines for establishment and maintenance of firebreaks may be found in Mississippi Forestry Commission publication #107, *Mississippi's Best Management Practices*.

Grazing

Tree seedlings should be protected from grazing until such time as the terminal bud of the sapling is beyond reach of livestock. Domestic livestock should be denied access to the tree planting area.

Boundary Lines

It is the responsibility of the landowner to ensure that all property lines and boundaries designating areas to receive forestry work are clearly identified and visible to all contractors.

Water Quality Protection

The objective of the landowner is to protect, conserve, and enhance all water resources and drainages on or transecting the property. This objective can be met by implementing Mississippi's Best Management Practices in all aspects of management practices. Protection for water resources must be given in order to maintain the water quality. This protection will be done by the use of stream side management zones (SMZ's) as well as following all Mississippi Best Management Practices.

Aesthetics

The goal is to assure that the property is managed in such a way that is aesthetically pleasing to the landowner as well as the community. Activities could include, maintaining buffer strips along the road and adjacent to the home site, planting wildflowers along the road, and trees with attractive fall and spring color along the drive and near the home site.

Ecological Restoration

Ecological restoration is the process of assisting the recovery of an ecosystem that has been degraded, damaged, or destroyed. A reconnaissance of the property has been conducted and no ecological restoration activities are recommended at this time.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Environmental Education

Environmental educational goals are to provide educational opportunities for children and adults through the development of items such as nature trails with tree identification markers, wildlife viewing areas, picnic areas, parking, public restroom facilities "etc".

Wildlife Management General

The goal is to provide a diversity of habitats suited for a variety of game and non-game wildlife species. Habitat management will focus on providing a variety of food, cover, water, and space. This will be accomplished, in part, by establishing and maintaining access roads and firelanes, providing openings within the forest, and leaving mast producing and den trees.

Timber Management

Timber management goals for this property are to manage timber resources in such a manner as to maximize timber production throughout the life of the stand.

Recreation

According to landowner objectives the recreational use of the property could prove to be an avenue for personal enjoyment or for generating income. An evaluation of your property should be conducted and a plan developed to accomplish your specific goals for recreational activities on your property.

SOIL TYPES

19

The Dubbs component makes up 55 percent of the map unit. Slopes are 0 to 3 percent. This component is on natural levees. The parent material consists of loamy alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is very high. Shrink-swell potential is moderate. This soil is rarely flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 1. This soil does not meet hydric criteria. The Dundee component makes up 35 percent of the map unit. Slopes are 0 to 3 percent. This component is on terraces. The parent material consists of loamy alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is rarely flooded. It is not ponded. A seasonal zone of water saturation is at 30 inches during January, February, March, April. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 2w. This soil does not meet hydric criteria.

27

The Tensas component makes up 85 percent of the map unit. Slopes are 0 to 1 percent. This component is on terraces. The parent material consists of clayey alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is very low. Available water

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

to a depth of 60 inches is high. Shrink-swell potential is very high. This soil is rarely flooded. It is not ponded. A seasonal zone of water saturation is at 24 inches during January, February, March, April, December. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3w. This soil does not meet hydric criteria.

21

The Dundee component makes up 95 percent of the map unit. Slopes are 0 to 1 percent. This component is on terraces. The parent material consists of loamy alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is rarely flooded. It is not ponded. A seasonal zone of water saturation is at 30 inches during January, February, March, April. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 2w. This soil does not meet hydric criteria.

7

The Alligator, frequently flooded component makes up 50 percent of the map unit. Slopes are 0 to 1 percent. This component is on backswamps. The parent material consists of clayey alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is poorly drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches is moderate. Shrink-swell potential is very high. This soil is frequently flooded. It is not ponded. A seasonal zone of water saturation is at 6 inches during January, February, March, April, December. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 5w. This soil meets hydric criteria. The Tensas component makes up 22 percent of the map unit. Slopes are 0 to 1 percent. This component is on flood plains. The parent material consists of clayey alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches is high. Shrink-swell potential is high. This soil is frequently flooded. It is not ponded. A seasonal zone of water saturation is at 24 inches during January, February, March, April, December. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 5w. This soil does not meet hydric criteria.

12

The Askew component makes up 90 percent of the map unit. Slopes are 1 to 3 percent. This component is on terraces. The parent material consists of alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is rarely flooded. It is not ponded. A seasonal zone of water saturation is at 30 inches during January, February, March, April, December. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

STRATA

Strata 1

Strata Description

This 160 acre strata is made up of stands 1, 3, 6, and 7. This strata was approximately established in 1950. This strata is a fully stocked bottomland hardwood mixed forest with willow oak, green ash, cottonwood, bitter pecan, and sweetgum being the dominate species. This strata contains areas of tupelo gum and bald cypress throughout the stands. This strata has a basal area of 178 and 136 trees per acre. This strata contains 34 tons of pulpwood and 102 tons of sawtimber per acre.

Strata Recommendations

Strata 1 is scheduled to be thinned in 2012. Strata 1 has a high basal area and needs to be reduced in order to achieve highest growth and yields values. Thinning will release the stands and create openings for natural regeneration and remove high risk trees. Stands will be thinned to a basal area of 85 to 100. As many desirable species as possible such as oak will be left in order to have adequate seed sources of desirable species for natural regeneration.

Activity Recommendations

Strata1 is scheduled for a thin in 2012. Until thinning strata will provide habitat for native wildlife species. After thinning stands will provide fresh vegetation providing new food sources and cover for native wildlife species.

Harvest

Scheduled thinning in 2012 for strata 1.

Strata 3

Strata Description

Strata 3 is made up of stands 8 and 10. Strata 3 is 33 acres of non-stocked forest type. These stands are low lying areas with button bush and water elm the dominant cover type. Stands have small amounts of timber but are manageable. These areas hold water during wet conditions.

Strata Recommendations

No management activities will take place is this strata. Stands 8 and 10 are poor sites and hold water. These factors result growing timber not feasible for these stands. Mortality will be high due to the area holding water.

**MISSISSIPPI FORESTRY COMMISSION
FOREST STEWARDSHIP MANAGEMENT PLAN**

Section16-T22N-R1E




Section16-T22N-R1E

Leflore County, Mississippi
2012 to 2021
652.28 Acres



(01/11/2012)





Section16-T22N-R1E

Property

Property (1)

Category 1: Stands

Sawtimber (4)

Non-Stocked (2)

Category 3: Non-Forest Stands

Non-Forest (3)

MFC Basemap

County Boundary

County Boundary (1)

Quadrangle Grid

USGS Quad (1)

PLS Townships

PLS Townships (1)

Survey Districts

District 2 (1)

Blockgroup (Census 2000)

Blockgroup (Census 2000) (1)

Block (Census 2000)

Block (Census 2000) (7)

Tract/BNA (Census 2000)

Tract/BNA (Census 2000) (1)

County Roads

County Roads (2)

School Sections

School Sections (1)

Public School Districts

LEFLORE COUNTY SCHOOL DISTRICT (1)

US Congressional District

US Cong Dist #2 (1)

MS Senate

24 (1)

MS House

30 (1)

Perennial Streams

Perennial Streams (1)

Hydrologic Units (Basins)

TALLAHATCHIE RIVER (1)

Historic Forest Boundary

Bottomland Hardwood (Oak-Gum-Cottonwood-Cypress) (1)

MS Forest Habitat

MISCELLANEOUS ALLUVIAL FLOODPLAINS (1)

Physiographic Region

Delta (1)

Soil Associations

alligator-sharkey-forestdale (1)

dundee-forestdale-dubbs (1)

Surface Geology

ALLUVIUM (2)

MFC Districts

MFC Districts (1)

MFC Dispatch Units

MFC Dispatch Units (1)

MS Outline

MS Outline (1)

Stand Activity Schedule for
Leflore County BOE
16 22N 1E

Strata	Stand	Activity	Acre	Est. Cost	Est. Revenue
2014					
1	1	Harvest, Mechanical, Thin, Machine, Misc Hardwood	40	\$1,400.00	\$85,920.00
1	5	Harvest, Mechanical, Thin, Machine, Misc Hardwood	23	\$805.00	\$48,484.00
1	8	Harvest, Mechanical, Thin, Machine, Misc Hardwood	92	\$3,218.25	\$193,830.60
1	9	Harvest, Mechanical, Thin, Machine, Misc Hardwood	6	\$195.30	\$11,762.64
Yearly Totals			161	\$5,618.55	\$339,997.24
Grand Totals			161	\$5,618.55	\$339,997.24